## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# PRINCETON NURSERIES

MAR 3

WM. FLEMER'S SONS, Inc.



1937
SPRING
PRICE LIST
WHOLESALE

PRINCETON, N. J.

## TO THE TRADE

## Please Note:

This wholesale price list contains only varieties and sizes which we have in quantity and which are most commonly used by the wholesale trade.

Our retail catalogue contains our complete list of material and includes many rare and unusual items not listed in this book. Retail catalogue will be gladly mailed on request.

We specialize in material wanted for Public Works Projects and suggest that you send us complete lists on which we are prepared to quote attractive prices because of our comprehensive inventory and large scale production.

PRINCETON NURSERIES
Telephone
Princeton 1776

## Conditions of Sale PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice. Increases may be made to include any Federal or State taxes levied on sales or any increase in the cost of labor or material caused by Federal or State legislation or regulation.

#### TERMS AND DISCOUNTS

TERMS: 2 per cent discount for payment in 10 days from date of invoice. Accounts due first of second month following date of invoice. These terms are offered to those with established credit; otherwise cash or satisfactory references are required.

Special Cash Discount 5 per cent for payment with order

C.O.D. Shipments: In order to insure acceptance, orders for C.O.D. shipment should be accompanied by one-third of the amount of the order.

PRICES ARE F.O.B. KINGSTON, N. J.

## Notes in Explanation of Catalogue

The figures following each variety indicate in feet the approximate height of that plant in maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are taken from "Standardized Plant Names," which is the accepted authority on plant nomenclature in the horticultural industry.

Our standard of grading all plants is based on a formula which has been adopted by the American Association of Nurserymen.

We recommend that all varieties marked with an asterisk (\*) be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way.

Should any article be desired balled and burlapped, which is not so designated in the catalogue, there will be the following scale of charges:

## B & B SCHEDULE

2-3', 15c 3-4', 20c 4-5', 30c 5-6', 40c 6-8', 60c 8-10', 75c 1½-1½", \$1.00 1½-1¾", \$1.25 1¾"-2", \$1.50 2-2½", \$2.00 2½-3", \$2.50 3-4", \$3.50.

SCHEDUI	LE OF	TRU	JCK D	ELIVI	ERY C	HARC	ES
VALUE GF ORDER			50 to	75 to		125 to	150 to
\$1000 or more \$500 to \$1000 \$200 to \$ 500 \$100 to \$ 200 Less than \$100	FREE 3%	5%	FREE 5% 6% 9% \$13.00	5% 7% 8% 13% \$19.00	7% 9% 10% 17% \$25.00	9% 11% 12% 20% \$30.00	11% 13% 14% 24% \$35.00

## Boxing Charges

T .1	10 15"	15 161	17 20//	10 24"	22 20"	27 22"	21 264
Length	12x15''	15X10"	1/x20"	19XZ4"		27x32"	31X30"
4 <b>′</b>	.75	1.00	1.25	1.50	1.75	2.00	2.50
<b>6'</b>	1.00	1.25	1.50	1.75	2.00	2.50	2.75
8 <b>′</b>	1.25	1.50	1.75	2.00	2.50	2.75	3.25
10 <b>′</b>	1.70	2.50	2.75	3.25	<b>3.5</b> 0	4.00	4.50
12 <b>′</b>	2.25	3.00	3.25	3.50	4.00	5.00	5.50
14'	2.75	3.50	3.75	4.00	4.25	5.50	6.00

Bales 35c and 50c to \$3.50, depending on size.

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

#### **CARLOADS**

We have our own railroad siding and are equipped to load and forward carload lots to all points.

### **GUARANTEE OF GENUINENESS:**

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

### **CLAIMS**

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

<b>ર્સ</b> A }&	Unit 1-4	Price in Qu 5-24	antities 25-249
ABELIA grandiflora, 3'-4'	• •	_	Abelia
18 to 24 in., B. & B	.52		.35
2 to 3 ft., B. & B			.45
ADITIO		****	
ABIES concolor, 70'-80'	60		ite Fir
18 to 24 in., B. & B	.60		.40
2 to 2½ ft., B. & B	1.00 1.45		.65 .95
3 to 4 ft., B. & B			· · · · · · · · · · · · · · · · · · ·
4 to 5 ft., B. & B	2.75		
5 to 6 ft., B. & B	4.00		
— firma, 60'-75'			me Fir
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B	1.45		
	2.00		<del></del>
4 to 5 ft., B. & B	3.00	2.50	
— fraseri, 50'-60'		Fra	ser Fir
18 to 24 in., B. & B	.50	.40	
2 to 2½ ft., B. & B	1.00	.80	
2½ to 3 ft., B. & B	1.45	1.20	
3 to 4 ft., B. & B	2.00	1.60	
4 to 5 ft., B. & B	2.40	2.00	
— nordmanniana, 80'-100'		Nordma	nn Fir
15 to 18 in., B. & B			
18 to 24 in., B. & B	1.80	1.50	
— douglasi (See PSEUDOTSUGA	doug	lasi)	
— pectinata, 50'-60'		The state of the s	ver Fir
18 to 24 in., B. & B	125		
2 to 2½ in., B. & B			
— pinsapo, 70'-80'		Span	ish Fir
18 to 24 in., B. & B			
2 to 2½ in., B. & B	1.75	1.50	
Spruce (See PICEA)			
— veitchi,		Veit	tch Fir
15 to 18 in., B. & B			
18 to 24 in., B. & B	1.20	1.00	
ACANTHOPANAX pentaphylum,			
18 to 24 in	.37	.22 .30	.18 .24
3 to 4 ft			
	.52		·
ACER campestre, 25'-30'	1.00	Hedge	_
5 to 6 ft	1.90		1.25
6 to 8 ft 8 to 10 ft	2.60 3.75		2.50
	0.70		
— dasycarpum, 60'-80'	0.0		Maple
8 to 10 ft	.90		
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.00 1.20		.70 .80
10 to 12 ft.—1½ to 1¾ in	1.50		1.00
12 to 13 ft.—2 to 2½ in	1.90		
13 to 14 ft.—2½ to 3 in	2.60		1.75
14 to 16 ft.—3 to 3½ in	3.75	3.00	2.50
14 to 16 ft.—3½ to 4 in	5.25	4.40	3.50

ACER—continued	Unit 1-4	Price in Qua	antities 25-249
—pyramidale, 75'		idal Silver	
			mapro
8 to 10 ft.—1½ to 1½ in	1.50		
10 to 12 ft.—134 to 2 in		1.50	
12 to 14 ft.—2 to 2½ in		2.00	
—wieri, 60'-80'		er Cutleaf	Maple
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.10		
10 to 12 ft.—1½ to $134$ in	1.50		
11 to 12 ft.—134 to 2 in		1.60	
12 to 13 ft.—2 to 2½ in			
,	3.00		7.5
— ginnala, 10'-12'			Maple
3 to 4 ft	.60	.50	
4 to 5 ft	.95	.75	
5 to 6 ft	1.20 1.70	1.00 1.35	
8 to 10 ft	2.10	1.75	
— negundo 60'	<b>2.</b> 10		xelder
	.60		
8 to 10 ft 8 to 10 ft.—1½ to 1½ in	.80	.50 .65	
10 to 12 ft.—1½ to 1¾ in	1.10	.90	
10 to 12 ft.—13/4 to 2 in	1.50	1.25	
12 to 14 ft.—2 to 2½ in	2.10	1.75	
— palmatum atropurpurem, 6'	Q!		
		Japanese	Maple
12 to 15 in., B. & B	.70	.55	.45
15 to 18 in., B. & B	.95	.75	.60
18 to 24 in., B. & B	1.10	.95	.75
2 to 2½ ft., B. & B	1.90		1.25
2½ to 3 ft., B. & B	3.00		2.00
3 to 4 ft., B. & B 4 to 5 ft., B. & B	3.75 6.75		2.50 4.50
——————————————————————————————————————			Maple
12 to 15 in., B. & B	1.20	1.00	
15 to 18 in., B. & B	1.90	1.50	
2 to 2½ in., B. & B	4.10	2.25 3.50	
		rple Jap.	
15 to 18 in., B. & B			
18 to 24 in., B. & B	1.50	1.25	
2 to 2½ in., B. & B	2.25	1.80	-
— — novum, 6'-8'			
12 to 15 in., B. & B.	.75	.60	.50
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B	1.50	1.25	
2 to $2\frac{1}{2}$ ft., B. & B	2.25		
2½ to 3 ft., B. & B.	3.50	_	
3 to 4 ft., B. & B	4.50		
— pennsylvanicum (striatum), 20		Striped 1	Maple
3 to 4 ft		.50	
4 to 5 ft	.95	.75	
5 to 6 ft	1.25	1.00	** ***

- TRINGETON NORSI			
ACER—continued	Unit P	rice in Qua 5-24	ntities 25-249
plotopoidos 50/75/	1-4	Norway	
— platanoides, 50'-75'	4.00	•	
8 to 10 ft	1.20	1.00	.80
8 to 10 ft., 1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in	1.40	1.20	1.00
10 to 11 ft., 1½ to 1¾ in	1.70	1.40	1.20
10 to 12 ft., 13/4 to 2 in	2.00	1.60	1.40
12 to 14 ft., 2 to 2½ in	2.60	2.20	1.75
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	3.00	2.50	_
13 to 15 ft., $2\frac{1}{2}$ to 3 in	3.75		
14 to 16 ft., 3 to $3\frac{1}{2}$ in	5.25	4.40	3.50
— — schwedleri, 40'-60'	S	chw <b>ed</b> ler	Maple
8 to 10 ft	2.25	1.90	1.50
8 to 10 ft.—1½ to 1½ in	2.60	2.20	1.75
10 to 11 ft.—1½ to 1¾ in	3.00	2.50	2.00
10 to 12 ft.—134 to 2 in	<b>3.5</b> 0		2.25
12 to 14 ft.—2 to 2½ in	3.75		
12 to 14 ft.—2½ to 2½ in	4.50		
— pseudoplatanus, 50'-75'		Sycamore	Manle
		•	mapic
6 to 8 ft	.75	.60	
8 to 10 ft	1.00		
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.20	1.00	•
— rubrum, 50'-75'	Red	or Scarlet	Maple
6 to 8 ft	2.25	1.90	1.50
9 to 12 ft., 1½ to 1¾ in	3.75	3.00	
10 to 12 ft., 13/4 to 2 in	4.75	3.75	
12 to 14 ft., 2 to 2½ in	5.50	4.50	
2½ to 2½ in	7.00	5.50	
$2\frac{1}{2}$ to 3 in	8.00	6.50	
— saccharum, 50'-75'		Sugai	Maple
6 to 8 ft	1.10	.95	.75
8 to 10 ft	1.50	1.25	1.00
10 to 11 ft.—1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in	1.90	1.50	1.00
	2.25	2.00	1.50
11 to 12 ft.—1½ to 1¾ in			
12 to 14 ft.—13/4 to 2 in	2.60	2.20	1.75
12 to 14 ft.—2 to 2½ in	3.00		2.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in		2.85 3.25	
2½ to 3 in			7.5
— spicatum, 20'-30'		Mountair	n Maple
3 to 4 ft		.50	
4 to 5 ft	.95	_	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.90	1.50	
ACTINIDA arguta, 20'-30'		Bower A	ctinidia
2 yr., 2 to 3 ft	.30	.25	.20
3 yr., 3 to 4 ft	.37	.30	.25
AESCULUS hippocastanum, 60'-8			hestnut
			110501140
4 to 5 ft		.80 1.25	
5 to 6 ft		1.25	
AILANTHUS glandulosa, 50'60'		Tree of	neaven
5 to 6 ft			
6 to 8 ft			
8 to 10 ft		1.25	
AKEBIA quinata, 15'-20'		Fiveleaf	Akebia
2 yr	.27	.22	.16
ALNUS glutinosa, 70'-80'		Europea	
	1 00	_	n Aluel
6 to 8 ft	1.00	.80	
8 to 10 ft	_	1.00	
10 to 12 ft	1.50	1.25	

ALNUS—continued	Unit P	rice in Qua	ntities
ALNUS—continued	1-4	5-24	25-249
— incana, 40'-50'			
2 to 3 ft	.42	.35	
3 to 4 ft	.52 .75	.45	
4 to 5 ft	./5	.60	
AMELANCHIER canadensis			
(botryapium), 20'-30'	$\mathbf{D}$	owny Sha	adblow
18 to 24 in			
2 to 3 ft	.52	.45	.35
— laevis, 20'-30'	Alle	gheny Sha	adblow
2 to 3 ft	.60	.50	
3 to 4 ft	.90		
4 to 5 ft	1.20 1.50	1.00 1.25	
	1.50	1.23	
AMORPHA fruticosa, 8'-10'	22		gobush
2 to 3 ft	.22	.20 .25	.15
3 to 4 ft	.30 .45	.25 .37	
6 to 8 ft	.60	.50	.40
AMPELOPSIS heterophylla 25'-3			
		ain Amp	elopsis
2 year		_	.25
— humulifolia, 25'-30'		Нор Атр	elopsis
2 year			.25
3 year	.45	.37	.30
— quinquefolia, 30'-50'	7	Virginia C	Creeper
2 year light	.12	.10	.08
2 year	.18	.16	.12
3 year	.25	.20	<del></del>
— quinquefolia engelmanni, 30'-4	:0'		
	Eng	elmann (	reeper
1 year	.12	.10	.08
2 year	.18	.16	.12
3 year	.25	.20	
— tricuspidata (veitchi), 40'-50'		Bos	ton Ivy
2 year, 4 in. pots	.37	.30	.25
2 year, 12 to 18 in	.27	.22	.18
2 year, 18 to 24 in	.37 .52	.30 .45	.25
3 year, 2 to 3 ft., extra heavy	_		
· · · · · · · · · · · · · · · · · · ·		tleaf Bos	ton Ivy
2 in. pots 3 in. pots	.30	.25 .30	
AMYGDALUS nana (See Prunus — persica alba, rosea and ruba	-		Ponahoa
18 to 24 in	.22	.20	.15
2 to 3 ft	.30		.20
3 to 4 ft	.37	.30	.25
ANDROMEDA arborea (See OXY	DENI	)RIM)	
catesbaei (See LEUCOTHOE)	a-/ a-/ k \ 1.	or our	
japonica (See PIERIS)			
Juponiou (NOC I IIIII)			

ARALIA pentaphyllum (See ACANTHOPANAX)

	Unit Pr	ice in Quar	itities
	1-4	5-24	25-249
ARALIA spinosa, 18'-20'		_	les-club
2 to 3 ft	30	.25	.20
3 to 4 ft	45	.37	.30
4 to 5 ft	.52	.45	.35
5 to 6 ft	.70	.55	.45
6 to 8 ft	.90		.60
8 to 10 ft	1.30	1.05	.85
ARCTOSTAPHYLOS uva-ursi		Bea	arberry
2 year pots	.37	.30	.25
ARONIA arbutifolia, 6'-8'	]	Red Chol	keberry
12 to 18 in		.25	.20
18 to 24 in		.37	.30
2 to 3 ft			
3 to 4 ft	.75	.60	.50
— brilliantissima, 6'-8' Bri	lliant I	Red Chol	ceberry
12 to 18 in		.25	
18 to 24 in		.37	
2 to 3 ft	.60	.50	.40
- atropurpurea, 6'-8'	Pui	cple Chol	keberry
3 to 4 ft		.60	
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.10	.95	.75
— melanocarpa (nigra), 8'-10'	Bl	ack Chok	ceberry
18 to 34 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft			
4 to 5 ft	1.00	.80	.65
AZALEAS			
AZALEA amoena, 3'-4'		Amoena	Azalea
9 to 12 in., B. & B	.60	.50	.40
12 to 15 in., B. & B			.50
15 to 18 in., B. & B		.85	.70
18 to 24 in., B. & B	1.50		1.00
2 to 2½ ft., B. & B	1.90	1.50	1.25
— arborescens 10'-12'		Sweet	Azalea
15 to 18 in., B. & B			<del></del>
18 to 24 in., B. & B			
2 to 2½ ft., B. & B	2.50	Flame	Azalea
	1.10		.75
15 to 18 in., B. & B			
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B		2.75	
— Hinodegiri, 3'-4'	Hi	nodegiri	Azalea
8 to 10 in., B. & B	.60	.50	.40
10 to 12 in., B. & B	.90	.75	.60
12 to 15 in., B. & B	1.35		_
15 to 18 in., B. & B	2.25	1.90	1.50
- kaempferi, 4'-5'	_		Azalea
12 to 15 in., B. & B	.90	.75	.60
15 to 18 in., B. & B			
18 to 24 in., B. & B	1.65	1.35	1.10

AZALEA—continued	Unit Price in Quantities 1-4 5-24 25-249
AZALEA KAEMPFERI Carmen—Rose-pink flowers, 9 to 15 to 18 in.	
Cleopatra—Lilac-rose flowers, 9 to	12 in.: 12 to 15 in.:
15 to 18 in.; 18 to 24 in.	, 12 1111, 12 00 10 1111,
Fedora—Salmon-rose flowers, 9 to	12 in.; 12 to 15 in.;
15 to 18 in.; 18 to 24 in.	
Louise—Light-rose flowers, 9 to	12 in.; 12 to 15 in.;
15 to 18 in.; 18 to 24 in.	10 in . 10 to 15 in .
Othello—Brick-red flowers, 9 to 1 15 to 18 in.; 18-24 in.	12 111.; 12 to 15 111.;
9 to 12 in., B. & B	.60 .50 —
12 to 15 in., B. & B	.90 .75 —
15 to 18 in., B. & B	1.00
KURUME AZALI	
Benigeri—Brick-red flowers, 9 to	12 in.; 12 to 15 in.
Flame—Brilliant red flowers,	07/64 07/4 06
15 to 18 in.; 18 to 24 in.; 2 that sugiri—Bright purple flowers	
_	o 15 in.; 15 to 18 in.
Pink Beauty—Single soft-pink flor	•
Pink Pearl—Salmon-rose flowers,	o 12 in.; 12 to 15 in.
	o 12 in.; 12 to 15 in.
Salmon Beauty—Large salmon-pi	
9 to 12 in., B. & B	o 12 in.; 12 to 15 in. .60 .50 —
12 to 15 in., B. & B	.90 .75 —
15 to 18 in., B. & B	1.60 1.20 —— 2.00 1.60 ——
2 to 2½ ft., B. & B	2.40 2.00 —
2½ to 3 ft., B. & B	
- snow, large double white flow 9 to 12 in., B. & B	ers, .90 .75 ——
12 to 15 in., B. & B	
15 to 18 in., B. & B	1.50 1.25 —
- ledifolia alba, 4'-6', large sing	
12 to 15 in., B. & B 15 to 18 in., B. & B	
18 to 24 in., B. & B	
— — lilacina, 4'-6'	1.00
12 to 15 in., B. & B	
18 to 24 in., B. & B	
— macrantha, 2½'-3'	Red Salmon Azalea
12 to 15 in B. & B	
— mollis, 4'-6'	Chinese Azalea
12 to 15 in., B. & B	1.25 1.00 —
15 to 18 in., B. & B	
— mucronulatum (See Rhododeno — nudiflora, 6'-8'	dron mucronulatum) Pinxterbloom
15 to 18 in., B. & B	
18 to 24 in., B. & B	1.60 1.30 —
2 to 2½ ft., B. & B	
2/2 to o It., D. & D	3.00 2.50 —

AZALEA—continued	Unit P	rice in Qua 5-24	intities 25-249	
— poukhanensis, 1'-3'	•	Korean	_	
12 to 15 in., B. & B	1.25	1.00		
15 to 18 in., B. & B	1.50	1.25		
18 to 24 in., B. & B.	2.10	1.75		
2 to 2½ in., B. & B		2.50 y Pinxte	rbloom	
15 to 18 in., B. & B		1.20	10100111	
18 to 24 in., B. & B		1.70		
2 to 2½ ft., B. & B		2.25		
— schlippenbachi, 6'-8'		•	Azalea	
12 to 15 in., B. & B		1.50	1.25	
15 to 18 in., B. & B 18 to 24 in., B. & B	2.50	2.05 2.50	1.65 2.00	
— vaseyi, 5'-6'		inkshell		
18 to 24 in., B. & B		1.80		
2 to 2½ ft., B. & B				
2½ to 3 ft., B. & B		2.75		
3 to $3\frac{1}{2}$ ft., B. & B	4.10	3.50		
— viscosa, 4'-5'		Swamp	Azalea	
2 to 2½ ft., B. & B		1.75		
2½ to 3 ft., B. & B	2.40	2.00	A moles	
— yodogawa 3'-4'		odogawa		
12 to 15 in., B. & B		.95 1.50	.75 1.25	
18 to 24 in., B. & B	2.10	1.75	1.40	
2 to 2½ in., B. & B		1.90		
٥( ا				
BACCHARIS halimifolia, 9'-10'		Grounds	selbush	
BACCHARIS halimifolia, 9'-10' 18 to 24 in	.37	.30	.25	
BACCHARIS halimifolia, 9'-10' 18 to 24 in	.45	.30 .37	.25 .30	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52	.30 .37 .45	.25 .30 .35	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60	.30 .37 .45 .50	.25 .30 .35 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60	.30 .37 .45 .50	.25 .30 .35 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60 <b>benze</b>	.30 .37 .45 .50 <b>Din), 10</b> Spi .20	.25 .30 .35 .40 '-12' cebush .15	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60 <b>benze</b> .22 .30	.30 .37 .45 .50 <b>oin), 10</b> Spi .20 .25	.25 .30 .35 .40 '-12' cebush .15 .20	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60 <b>benze</b> .22 .30 .45	.30 .37 .45 .50 <b>Din), 10</b> Spi .20 .25 .37	.25 .30 .35 .40 '-12' cebush .15 .20 .30	
BACCHARIS halimifolia, 9'-10'  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  BENZOIN aestivale (LINDERA  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft	.45 .52 .60 <b>benze</b> .22 .30 .45 .60	.30 .37 .45 .50 <b>Din), 10</b> Spi .20 .25 .37	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  BENZOIN aestivale (LINDERA  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  BERBERIS—HARDY EVER	.45 .52 .60 <b>benze</b> .22 .30 .45 .60	.30 .37 .45 .50 <b>Din), 10</b> Spi .20 .25 .37	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft.  BENZOIN aestivale (LINDERA  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft.  BERBERIS—HARDY EVER — gagnepaini	.45 .52 .60 <b>benze</b> .22 .30 .45 .60	.30 .37 .45 .50 <b>oin), 10</b> Spi .20 .25 .37 .50	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  BENZOIN aestivale (LINDERA  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  BERBERIS—HARDY EVER — gagnepaini 9 to 12 in., 5 in. pots	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b>	.30 .37 .45 .50 <b>Din), 10</b> Spi .20 .25 .37 .50	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft.  BENZOIN aestivale (LINDERA  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft.  BERBERIS—HARDY EVER — gagnepaini	.45 .52 .60 <b>benze</b> .22 .30 .45 .60	.30 .37 .45 .50 <b>Din), 10</b> Spi .20 .25 .37 .50	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
## BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b> .50 .75 1.00	.30 .37 .45 .50 <b>oin), 10</b> Spi .20 .25 .37 .50 <b>EN TYPI</b>	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  BENZOIN aestivale (LINDERA  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  BERBERIS—HARDY EVER  gagnepaini  9 to 12 in., 5 in. pots 12 to 15 in., 5 in. pots 15 to 18 in B. & B  — ilicifolia, 5'-6'  15 to 18 in., B. & B	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b> .50 .75 1.00	.30 .37 .45 .50 <b>oin), 10</b> Spi .20 .25 .37 .50 <b>EN TYPI</b> .45 .60	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft.  BENZOIN aestivale (LINDERA  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft.  BERBERIS—HARDY EVEF — gagnepaini  9 to 12 in., 5 in. pots 12 to 15 in., 5 in. pots 15 to 18 in., B. & B — ilicifolia, 5'-6'  15 to 18 in., B. & B 18 to 24 in., B. & B  18 to 24 in., B. & B  18 to 24 in., B. & B  18 to 24 in., B. & B  19 to 18 in., B. & B  18 to 24 in., B. & B  19 to 19 in., B. & B  10 to 18 in., B. & B  11 to 18 in., B. & B  12 to 18 in., B. & B  15 to 18 in., B. & B  16 to 18 in., B. & B  17 to 18 in., B. & B  18 to 24 in., B. & B  18 to 24 in., B. & B	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b> .50 .75 1.00	.30 .37 .45 .50 <b>oin), 10</b> Spi .20 .25 .37 .50 <b>EN TYPI</b> .45 .60 .80 <b>Holly Ba</b> .40	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  BENZOIN aestivale (LINDERA  18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  BERBERIS—HARDY EVEF — gagnepaini  9 to 12 in., 5 in. pots 12 to 15 in., 5 in. pots 15 to 18 in., B. & B — ilicifolia, 5'-6'  15 to 18 in., B. & B 2 to 2½ ft., B. & B 2 to 2½ ft., B. & B	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b> .50 .75 1.00	.30 .37 .45 .50 <b>Din), 10</b> Spi .20 .25 .37 .50 <b>EN TYPI</b> .45 .60 .80 <b>Holly Ba</b>	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b> .50 .75 1.00	.30 .37 .45 .50 <b>Din), 10</b> Spi .20 .25 .37 .50 <b>EN TYPI</b> .45 .60 .80 <b>Holly Ba</b> .40 .60	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b> .50 .75 1.00	.30 .37 .45 .50 <b>Din), 10</b> Spi .20 .25 .37 .50 <b>EN TYPI</b> .45 .60 .80 <b>Holly Ba</b> .40 .60 .80	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b> .50 .75 1.00	.30 .37 .45 .50 <b>oin), 10</b> Spi .20 .25 .37 .50 <b>EN TYPI</b> .45 .60 .80 <b>Holly Ba</b> .40 .60 .80	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b> .50 .75 1.00	.30 .37 .45 .50 <b>Din), 10</b> Spi .20 .25 .37 .50 <b>EN TYPI</b> .45 .60 .80 <b>Holly Ba</b> .40 .60 .80	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b> .50 .75 1.00 .75 1.00	.30 .37 .45 .50 <b>oin), 10</b> Spi .20 .25 .37 .50 <b>EN TYPI</b> .45 .60 .80 <b>Holly Ba</b> .40 .60 .80	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b> .50 .75 1.00 .50 .75 1.00	.30 .37 .45 .50 <b>oin), 10</b> Spi .20 .25 .37 .50 <b>EN TYPI</b> .45 .60 .80 <b>Holly Ba</b> .40 .60 .80	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	
BACCHARIS halimifolia, 9'-10'  18 to 24 in	.45 .52 .60 <b>benze</b> .22 .30 .45 .60 <b>RGREH</b> .50 .75 1.00 .50 .75 1.00	.30 .37 .45 .50 <b>Din), 10</b> Spi .20 .25 .37 .50 <b>EN TYPI</b> .45 .60 .80 <b>Holly Ba</b> .40 .60 .80	.25 .30 .35 .40 '-12' cebush .15 .20 .30 .40	

BERBERIS—continued	Unit P 1-4	rice in Qua 5-24	
— verruculosa	V	Varty Ba	arberry
6 to 9 in., 4 in pots			
		.60	
12 to 15 in., 5 in. pots			
BERBERIS—DECIDUO	US T	YPES	
BERBERIS dielsiana			
18 to 24 in	.75		
2 to 2½ ft	1.00		
— thunbergii, 4'-5'	_	anese Ba	
12 to 15 in	.10	.09	.07
15 to 18 in	.15 .20	.11 .15	.09 .12
2 to 2½ ft	.25	· -	
2½ to 3 ft		.27	.22
— atropurpurea 4'-5' R			
12 to 15 in	.25 .30	.20 .25	.16
18 to 24 in	.37	.30	.25
2 to 2½ ft	.45		.30
2½ to 3 ft	.52	.45	_
3 to 4 ft	.70	.55	.45
— minor, 2'-3'		Box Ba	arberry
9 to 12 in	.18	.15	
12 to 15 in	.25	.20	
15 to 18 in	.30	.25	
*BETULA alba, 30'-50'		an Whit	e Birch
6 to 8 ft		1.25	<del></del>
8 to 10 ft 8 to 10 ft.—1½ to ½ in	1.90 2.50	_	
10 to 12 ft.—1½ to 1¾ in	3.00	2.50	
13/4 to 2 in	3.75	3.00	
*— alba fastigiata, 25'-40' P	yrami	dal Whit	e Birch
5 to 6 ft			
6 to 8 ft			
8 to 10 ft			
		Weepin	g Birch
5 to 6 ft		1.25	
6 to 8 ft	2.25		
8 to 10 ft., 1½ to 1½ in	2.75		
10 to 12 ft., 1½ to 1¾ in	3.00		
1¾ to 2 in	3.75	3.00	
*— lenta, 40'-50'		Swee	t Birch
6 to 8 ft		1.00	
8 to 10 ft.—1¼ to 1½ in		1.50	
10 to 12 ft.—1½ to 1¾ in	2.50 3.00		
*— lutea, 50'-70'	5.00	Volley	w Birch
	.95	.75	M DIICH
5 to 6 ft		1.00	
8 to 10 ft., 1½ to 1½ in		1.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in			

	Unit Price	e in Quar	ntities
BETULA—continued	1-4	5-24	
*— nigra, 50'-60'		River	Birch
6 to 8 ft	1.25	1.00	
8 to 10 ft.—1½ to 1½ in	1.90	1.50	
10 to 12 ft.—1½ to 1¾ in	2.35	1.90	
10 to 12 ft.—13/4 to 2 in		2.50	
12 to 14 ft.—2 to 2½ in		<u> </u>	Direct
	Paper or	Canoe	Birch
6 to 8 ft 8 to 10 ft.—1½ to ½ in	1.25 1.90		
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25		
10 to 12 ft.—13/4 to 2 in	3.00		
12 to 14 ft.—2 to 2½ in	4.00		
*— populifolia, 30'-40'		Gray	Birch
6 to 8 ft	1.25		
8 to 10 ft.—1¼ to 1½ in	1.90		
10 to 12 ft.—1½ to 1¾ in	2.25		
BIGNONIA grandfliora, 25'-40' Ch	mese Tru .35	impetci	reeper
2 year, grafts 3 year, grafts	.50		
— Mad. Gallen, 25'-40'			
2 year, grafts	.35	30	
3 year, grafts	.50	.40	
— radicans, 25'-40'	Tru	ımpetcı	reeper
2 year, heavy	.12	.10	.08
3 year, heavy	.18	.15	.12
BUDDLEIA Ile de France, 4'	Bu	tterfly	Shrub
12 to 18 in., 2 yr	.22	.20	_
18 to 24 in., 2 yr			
, ·	Veitch I		•
1½ to 2 ft., 2 yr		.12	
2 to 3 ft., 2 yr	.22 27		
BUXUS sempervirens (bush form		' Bo:	
12 to 15 in. B. & B	.50		
15 to 18 in., B. & B	.75		
18 to 24 in., B. & B	1.00		
— — suffruticosa, 3'-4'	Dwarf	Box E	dging
4 to 6 in	.14	.11	.09
6 to 8 in., B. & B	.30	.25	.20
8 to 10 in., B. & B	.50	.40	
CALLICARPA purpurea, 3'-4'	Chinese	Beauty	yberry
18 to 24 in	.22	.20	.15
2 to 3 ft	.27	.22	.18
3 to 4 ft	.37	.30	.25
CALLUNA vulgaris, 1'-2'	20		eather
2 year	.30	.25	
3 year 4 year	.37 .50	.30	
— alba, white flowers.	•30	. 10	
— alporti, bright green folia	ge, redd	lish-nu	rple
—— humilis, bright green folias			
——— pilosa, white flowers.	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		- ~ •
— rosea, bright green foliage,	rose-col	ored fla	owers
— rubra, spreading habit, pu			
rabit, phiomains mante, pa	- 2-1011 10		J. ~.

		rice in Qua	
	1-4		25-249
CALYCANTHUS floridus, 4'-5'		Swee	tshrub
18 to 24 in		.20	.16
2 to 3 ft		.25	.20
3 to 4 ft		.30	.25
4 to 5 ft		.45	.45
CARAGANA arborescens, 10'-12'		berian Po	
18 to 24 in	.15 .18	.12 .15	.09
3 to 4 ft	.25	.20	.16
4 to 5 ft		.25	.20
5 to 6 ft		.30	.25
*CARPINUS betulus, 60'-70'	Euro	pean Hor	nbeam
2 to 3 ft	1.00		
3 to 4 ft	1.50		
4 to 5 ft			
5 to 6 ft			
6 to 8 ft	3.50		
*— caroliniana, 30'-40'		rican Hor	nbeam
5 to 6 ft	1.90	1.50	
6 to 8 ft			
8 to 10 ft	3.50 4.50	2.75 3.50	
10 to 12 ft	5.50	3.50 4.50	
12 to 14 It	3.30	4.50	
CARYOPTERIS incana (mastacar	, ,		_
12 to 15 in., 5 in. pots	.22	.20	.15
15 to 18 in., 5 in. pots		.25	.20
18 to 24 in., 6 in. pots	.37	.30	.25
CATALPA (bignonioides nana)		mbrella C	latalpa
Large Heads, 2 yr., 5 to 6 ft			
Extra Large Heads, 2 in			
Extra Large Heads, 2¼ in	1.25		
— speciosa, 30'-35'		Vestern C	atalpa
6 to 8 ft	.40		
8 to 10 ft		-	
10 to 12 ft			1.25
,		1.30	1.23
CEDRUS atlantica glauca, 35'-5		lue Atlas	Cedar
6 to 8 ft., B. & B 8 to 9 ft., B. & B			
9 to 10 ft., B. & B			
— libani, 35'-50'	Ce	dar of Le	ebanon
3 to 4 ft., B. & B			
4 to 5 ft., B. & B	4.00		
5 to 6 ft., B. & B	5.50		
CELASTRUS orbiculatus, 15'-20	' Orier	ntal Bitte	rsweet
2 year, 18 to 24 in		.20	.15
2 year, 2 to 3 ft	.30		.20
3 year, 3 to 4 ft	.37	.30	.25
— scandens, 20'25'	Ameri	can Bitte	rsweet
2 year, 12 to 18 in	.22	.18	

	Unit Price in Quantities 1-4 5-24 25-249		
CELTIS occidentalis, 50'-60'		Hac	kberry
3 to 4 ft	.60	.50	
4 to 5 ft	.90	.75	
5 to 6 ft	1.20	1.00	
CEPHALANTHUS occidentalis, 5'	<b>-6</b> ′	Butte	onbush
18 to 24 in	.18	.15	.12
2 to 3 ft	.25	.20	.18
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45 .60	.37 .50	.30 .40
CERASUS , (See Prunus)	.00	.50	•••
*CERCIDIPHYLLUM japonicum,	20/-3	O' Katsu	ra-tree
8 to 10 ft	3.50		
10 to 12 ft	4.25		
12 to 14 ft	5.50		
CERCIS canadensis, 12'-15'	An	nerican F	Redbud
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.25	1.00	-
6 to 8 ft	1.50	1.25	
8 to 10 ft	1.90	1.50 1.75	
10 to 12 ft	2.10	117 0	
— chinensis, 10'-12'		Chinese F	
12 to 18 in	.37	.30 .45	.25 .35
2 to 3 ft	.52		
	.70	.55	.45
		.55 TOSPOR A	
CHAMAECYPARIS—THE F	RETIN	OSPORA	AS
CHAMAECYPARIS—THE F	RETIN 5'		AS
CHAMAECYPARIS—THE F CHAMAECYPARIS obtusa, 25'-3' 4 to 5 ft., B. & B	<b>RETIN</b> <b>5</b> ′ 1.60	OSPORA Hinoki (	AS
CHAMAECYPARIS—THE F CHAMAECYPARIS obtusa, 25'-3 4 to 5 ft., B. & B 5 to 6 ft., B. & B	<b>ETIN 5'</b> 1.60 2.00	OSPORA Hinoki (	AS
CHAMAECYPARIS—THE F CHAMAECYPARIS obtusa, 25'-3: 4 to 5 ft., B. & B	<b>ETIN</b> 5' 1.60 2.00 2.40	Hinoki C	AS Cypress ———
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  ——compacta, 4'-6'	1.60 2.00 2.40	OSPORA Hinoki (	AS Cypress ———
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B	1.60 2.00 2.40	Hinoki O	AS Cypress ———
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  ——compacta, 4'-6'	1.60 2.00 2.40 F .50 .75 1.00	Hinoki O  cootball O  .40 .60 .80	Cypress Cypress
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — compacta, 4'-6'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.	1.60 2.00 2.40 F .50 .75 1.00 1.40	Hinoki O	Cypress Cypress
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — compacta, 4'-6'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75	OSPORA Hinoki O	Cypress Cypress
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — compacta, 4'-6'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  3½ to 4 ft., B. & B.	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10	OSPORA Hinoki O	Cypress Cypress
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — compacta, 4'-6'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  3½ to 4 ft., B. & B.  — crippsi, 10'-15'	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10	ootball 0 .40 .60 .80 1.10 1.40 1.75 Golden 0	Cypress Cypress
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — compacta, 4'-6'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3½ to 4 ft., B. & B.  — crippsi, 10'-15'  12 to 15 in., B. & B.	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10 Cripps	Gospora A  Hinoki G	Cypress Cypress
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10 Cripps .60 .95	Fosporal Cosporal Cos	Cypress Cypress Cypress Cypress
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — compacta, 4'-6'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  3½ to 4 ft., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10 Cripps .60 .95 1.25	ootball 0 .40 .60 .80 1.10 1.40 1.75 Golden 0 .75 1.00	Cypress Cypress
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  ——compacta, 4'-6'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  3½ to 3 ft., B. & B.  3½ to 4 ft., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10 Cripps .60 .95 1.25 1.50	Football C .40 .60 .80 1.10 1.40 1.75 Golden C .50 .75 1.00 1.25	Cypress Cypress Cypress Cypress
CHAMAECYPARIS—THE F  CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — compacta, 4'-6'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  3½ to 4 ft., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10 Cripps .60 .95 1.25 1.50 2.10	Fosporal Cosporal Cos	Cypress Cypress Cypress Cypress
CHAMAECYPARIS obtusa, 25'-3.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — compacta, 4'-6'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  3½ to 4 ft., B. & B.  — crippsi, 10'-15'  12 to 15 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  3½ to 4 ft., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10 Eripps .60 .95 1.25 1.50 2.70	Fosporal Cosporal Cos	Cypress Cypress Cypress Cypress
CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10 cripps .60 .95 1.25 1.50 2.70 ender .75	Football Co40 .60 .80 1.10 1.40 1.75 Golden Co75 1.00 1.25 1.75 2.25 Hinoki Co60	Cypress Cypress Cypress Cypress
CHAMAECYPARIS obtusa, 25'-3'  4 to 5 ft., B. & B	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10 Cripps .60 .95 1.25 1.50 2.70 ender .75 1.20	Fospora A Hinoki C	Cypress Cypress Cypress Cypress Cypress
CHAMAECYPARIS obtusa, 25'-3  4 to 5 ft., B. & B	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10 cripps .60 .95 1.25 1.50 2.70 ender .75 1.20 1.50	Fosporal Cosporal Cos	Cypress Cypress Cypress Cypress Cypress
CHAMAECYPARIS obtusa, 25'-3  4 to 5 ft., B. & B	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10 Eripps .60 .95 1.25 1.50 2.70 ender .75 1.20 1.75	Football Co40 .60 .80 1.10 1.40 1.75 Golden Co75 1.00 1.25 1.75 2.25 Hinoki Co60 1.00 1.20 1.60	Cypress Cypress Cypress Cypress Cypress
CHAMAECYPARIS obtusa, 25'-3  4 to 5 ft., B. & B	1.60 2.00 2.40 F .50 .75 1.00 1.40 1.75 2.10 cripps .60 .95 1.25 1.50 2.70 ender .75 1.20 1.50	Fosporal Cosporal Cos	Cypress Cypress Cypress Cypress Cypress

CHAMAECYPARIS—continued	Unit Price in Quantities		<b>uantities</b>
CHAMPEO II MICHS—CONCINUEU	1-4	5-24	25-249
— — nana, 2½'-4'	Dwarf	Hinoki	Cypress
12 to 15 in., B. & B	1.50	1.20	-
15 to 18 in., B. & B			
18 to 24 in., B. & B	3.00	2.50	
— — youngi, 15'-20'	Young	${\bf Golden}$	Cypress
3 to 4 ft., B. & B	1.80	1.50	
4 to 5 ft., B. & B		2.00	
5 to 6 ft., B. & B			
— pisifera, 25'-35'	Sawa	ara Reti	nospora
18 to 24 in., B. & B	50	.40	
2 to 2½ ft., B. & B		.60	
2½ to 3 ft., B. & B		.80	
3 to 4 ft., B. & B		1.00	
		1.60	
4 to 5 ft., B. & B			
5 to 6 ft., B. & B		2.00	
6 to 7 ft., B. & B	3.75	3.00	
•		ara Reti	nospora
18 to 24 in., B. & B	50	.40	<del></del>
2 to 2½ ft., B. & B	75	<b>.6</b> 0	
$2\frac{1}{2}$ to 3 ft., B. & B	1.00	.80	
3 to 4 ft., B. & B	1.20	1.00	
4 to 5 ft., B. & B	2.00	1.75	
5 to 6 ft., B. & B	2.75	2.25	
6 to 7 ft., B. & B		3.25	
— filifera, 15'-20'		ead Reti	nospora
15 to 18 in., B. & B	50	.40	
18 to 24 in., B. & B	60	.50	
2 to 21/ ft D & D	80		
2 to 2½ ft., B. & B	00 1.20	.65	
2½ to 3 ft., B. & B	1.20	1.00	
3 to 4 ft., B. & B		1.25	
4 to 5 ft., B. & B		2.25	
5 to 6 ft., B. & B	3.90	3.25	<del></del>
— aurea, 10'-12' Golde	n Thre	ad Reti	nospora
12 to 15 in., B. & B	60	.50	
15 to 18 in., B. & B		.80	
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			
— plumosa 25'-35'		me Reti	_
12 to 15 in B. & B		.30	.25
15 to 18 in., B. & B		.45	.35
18 to 24 in., B. & B		.50	.40
2 to 2½ ft., B. & B	75	.60	.50
$2\frac{1}{2}$ to 3 ft., B. & B		.75	.60
3 to 4 ft., B. & B		1.00	
4 to 5 ft., B. & B		1.50	
5 to 6 ft., B. & B	2.50	2.00	
6 to 7 ft., B. & B		2.50	
		2.00	

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

×

CHAMAECYPARIS—continued	Unit Pri 1-4	ice in Qua 5-24	ntities 25-249
- plumosa aurea, 20'-25' Gold	enplum	e Retin	ospora
12 to 15 in., B. & B	.45	.37	.30
15 to 18 in., B. & B	.60	.50	.40
18 to 24 in., B. & B	.90	.75	.60
2 to 2½ ft B. & B	1.10	.90	
2½ to 3 ft., B. & B	1.25	1.00	
3 to 4 ft., B. & B	1.50	1.25	
4 to 5 ft., B. & B	2.00	1.60	
5 to 6 ft., B. & B			
6 to 7 ft., B. & B	3.20		
— plumosa lutescens, 2½'-3' Yelle	owplum	ie Retin	ospora
15 to 18 in., B. & B	.50	.40	
18 to 24 in., B. & B	.75	.60	
2 to 2½ ft., B. & B		.80	
2½ to 3 ft., B. & B	1.25	1.00	
— squarrosa nana, 2½'-3'	Dwarf	Moss C	ypress
9 to 12 in., B. & B	.60	.50	
12 to 15 in., B. & B	.80	<del></del>	<del> </del>
— sulphurea, 20'-25' Sulph	ur Mos	s Retin	ospora
12 to 15 in., B. & B	.50	.40	
15 to 18 in., B. & B	.75	.60	
18 to 24 in., B. & B	1.00	.80	
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B		1.30	
3 to 3½ ft., B. & B		1.50	
— veitchi, 25'-30'		ss Retin	_
12 to 15 in., B. & B	.37	.30	.25
15 to 18 in., B. & B	.52	.45	.35
18 to 24 in., B. & B	.75	.60	.50
2 to 2½ ft., B. & B		.75	.60
2½ to 3 ft., B. & B		.95	.75
3 to 4 ft., B. & B		1.25	
4 to 5 ft., B. & B		1.50	
5 to 6 ft., B. & B		2.25	
6 to 7 ft., B. & B CHIONANTHUS virginica, 15'-18'		3.25 ite Frin	motuo.
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35
4 to 5 ft	.85	.70	.55
5 to 6 ft	-	.95 1.25	.75 1.00
CLADRASTIS lutea (tinctoria),			wwood
			w wood
2 to 3 ft		.60	
3 to 4 ft		.90	
4 to 5 ft		1.25	
5 to 6 ft		1.50 2.00	
6 to 7 ftCLEMATIS paniculata, 20'-25' Sw			omatic
		.15	.12
2 year		.20	.16
CLEMATIS HYB Henryi—Snow -white flowers.			
Jackman—Violet-blue flowers.  Mme. Edouard Andre—Wine-red	flowers	ı.	
Romona—Sky-blue flowers.		-	
2 year 6 in. pots	.70	.55	.45
-			

	Unit P	rice in Quan	tities
	1-4 5-24 25-24		
CLETHRA alnifolia, 4'-5'		Summer	sweet
•	22		
12 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 2½ ft	.37	.30	.25
$2\frac{1}{2}$ to 3 ft	.45	.37	.30
3 to 4 ft	.50	.40	
COLUTEA arborescens, 8'-10' Co	mmon	Bladder-	senna
3 to 4 ft	.30	.25	
4 to 5 ft	.40		
5 to 6 ft	.50		
CORNUS alba (sibirica), 8'-10'			
m Rec	l Bran	iched Dog	gwood
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37		.25
— elegantissima, 6'-8'	lilverb	lotch Dog	gwood
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
alternifolia, 15'-18'		Blue Dog	hood.
·	2.2		_
2 to 3 ft	.33	.27	.22
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 7 ft	.90	.75	.60
— amomum (sericea), 8'-9'		Silky Dog	gwood
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37	.30	.25
5 to 6 ft	.52	.45	.25
6 to 7 ft	.70	.55	.45
0 to 7 It	.70	.55	J.
*— florida, 15'-25' Wh	iteflow	ering Do	gwood
2 to 3 ft	.60	.50	.40
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.35	1.10	.90
5 to 6 ft,	1.90	1.50	1.25
6 to 8 ft		2.50	2.00
8 to 10 ft		3.25	
10 to 12 ft		5.00	
Extra Heavy Bushy Specimens		% addition	al
* 4 anida nuhna 15/ 90/ D		roning Do	~~~~ d
		vering Do	
2 to 3 ft		.95	-
3 to 4 ft			
4 to 5 ft			2.25
5 to 6 ft			
6 to 8 ft		5.00	
8 to 10 ft		7.00	
10 to 12 ft.			6.75
Extra Heavy Bushy Specimens	50	% addition	ai
EXTRA CHARGE FOR DIGG	ang i	DOGWOO	DS

EXTRA CHARGE FOR DIGGING DOGWOODS, B. & B. SEE B. & B. SCHEDULE, PAGE 1.

CORNUS—continued		t Price in Qu 5-24	antities 25-249
*— kousa, 16′-18′		Kousa Do	gwood
18 to 24 in	.45	.35	
2 to 3 ft	.60	.50	
3 to 4 ft		.75	<del></del>
4 to 5 ft			
5 to 6 ft			
6 to 7 ft		· -	•
7 to 8 ft	3.00	2.50	
— mas, 20'-25'		Cornelian-	-cherry
18 to 24 in			.25
2 to 3 ft			.35
3 to 4 ft			.50
4 to 5 ft		.95	.75
5 to 6 ft	1.50	1.25 Gray Do	1.00
18 to 24 in	.30		.20
2 to 3 ft			.30
3 to 4 ft			.40
— stolonifera, 7'-8'	Re	d-osier Do	gwood
18 to 24 in			.15
2 to 3 ft			.20
— — lutea, 6'-7'	Gold	entwig Do	gwood
12 to 18 in		.15	
18 to 24 in			
2 to 3 ft	.30	.25	
CORYLUS americana, 8'-9'	An	nerican Ha	azelnut
3 to 4 ft		.30	
4 to 5 ft		.35	
5 to 6 ft	.60	.50	.40
COTONEASTER, acuminata, 10'-	·12′		
3 to 4 ft., B. & B	1.25		
— acutifolia, 10'-12'		king Cotor	neaster
6 to 9 in., 3½ in. pots			
9 to 12 in., 4 in. pots	.35		2-
3 to 4 ft		.30	
4 to 5 ft		.45	
5 to 6 ft	.70	<b>.5</b> 5	.45
— adpressa, 18"-24"	_	oing Cotor	neaster
9 to 12 in., 3 in. pots			
— apiculata, 5'			
6 to 9 in., 3 in. pots	.50	.40	
9 to 12 in 3½ pots			<del></del>
15 to 18 in., 5 in. pots			
— dammeri (chumifusa) 1'-2'			
6 to 9 in., 3 in. pots	.50	.40	. ——
— dielsiana, 6'-8'	$\Gamma$	iels Cotoi	neaster
6 to 9 in., 3 in. pots	.40	.30	.25
9 to 12 in., 3½ pots	.50	.40	
12 to 15 in., 4 in. pots	.60	.50	

COTONEASTER—continued	Unit Pa 1-4	rice in Qua 5-24	ntities 25-249
— divaricata, 5'-6'	Spreadii	ng Coton	easter
9 to 12 in., 3 in. pots	.40	.30	
12 to 15 in., 4 in. pots			
15 to 18 in., 4 in. pots	.60	.50	
	•00	.0 0	
— foveolata, 6'-10'	40	20	
9 to 12 in., 3 in. pots		.30	
12 to 15 in., 4 in. pots		.40	
15 to 18 in., 5 in. pots	.60		
— francheti, 5'-6'	Franch	et Coton	easter
9 to 12 in., 3 in. pots			.25
12 to 15 in., 4 in. pots	.50	.40	.35
		an Coton	easter
6 to 9 in., 3 in. pots		.40	
9 to 12 in., 4 in. pots	.75	.60	
— horizontalis (davidiana), 2'-3'		ck Coton	easter
6 to 9 in., 3 in. pots		.30	.25
9 to 12 in., 3 in. pots	.60	.50	.40
12 to 15 in., $3\frac{1}{2}$ in. pots	.75	.60	.50
— perpusilla, 2'-3'			
6 to 9 in., 3 in. pots	.60	.50	.4()
9 to 12 in., 3½ in. pots		.60	.50
12 to 15 in., $3\frac{1}{2}$ in pots		.80	.65
— — prostrata, 5'-6'			
9 to 12 in., 3 in. pots	.60	.50	.40
12 to 15 in., $3\frac{1}{2}$ in. pots	.75	.60	
— lindleyi, 6'-8' 6 to 9 in., 3 in. pots	.50	ey Coton .40	easter
,	.50		
— microphylla, 2'-3'			spray
6 to 9 in., 3 in. pots	.40	.30	.25
9 to 12 in., $3\frac{1}{2}$ in. pots		.45	.35
12 to 15 in., $3\frac{1}{2}$ in. pots	.70	.55	.45
— — thymifolia, 2'-3'			
6 to 9 in., 3 in. pots	.40	.30	.25
9 to 12 in., 4 in. pots		.45	.35
12 to 15 in., 4 in. pots	.70	.55	.45
— pannosa, 6'-8'	Silverle	af Coton	easter
6 to 9 in., 3 in. pots	.50	.40	
— racemiflora, 8'			
12 to 15 in., 4 in. pots	.75	.60	
— rotundifolia (buxifolia), 7'-8' H		eaf Coton	
9 to 12 in., 3 in. pots		.45	.35
12 to 15 in., $3\frac{1}{2}$ in. pots		.55	.45
15 to 18 in., 5 in. pots		.70	
18 to 24 in., 6 in. pots	1.00		
— salicifolia, 10'-12' W	illowle	af Coton	easter
9 to 12 in., 3 in. pots	.60	.50	.40
12 to 15 in., $3\frac{1}{2}$ in. pots	.75	.60	.50
15 to 18 in., 4 in. pots		.95	.75
<b>*</b>			

COTONEASTER—continued	Unit P 1-4	rice in Qua 5-24	
— simonsi, 5'-6'	Simo	ns Coton	easter
9-12 in., 3 in. pots	.52	.45	.35
12 to 15 in., 4 in. pots	.75	.60	.50
15 to 18 in., 5 in. pots	.90	.75	
— tenuipes, 5'-6'	<b></b> -	40	. ر سو
9 to 12 in., $3\frac{1}{2}$ in. pots			
*CRATAEGUS arkansana, 15'-20'			thorn
2 to 3 ft		.50	
		.75	
4 to 5 ft			41
* — arnoldiana, 20'		nold Haw	
3 to 4 ft	.90 1.10	.75 .95	.60 .75
5 to 6 ft			
	1.90	1.50	_
7 to 8 ft			
8 to 10 ft	3.00		
* — carrierei, 15'-20'	Carr	iere Haw	thorn
3 to 4 ft	.80	.65	
4 to 5 ft	1.10		
5 to 6 ft	1.35	1.10	
6 to 7 ft			
7 to 8 ft			
* — coccinea, 15'-20'		cket Haw	thorn
3 to 4 ft		.65	
4 to 5 ft		.95	
5 to 6 ft	1.35	1.10	
6 to 7 ft		1.50	
7 to 8 ft 8 to 10 ft		1.80 2.25	
* — coccinioides, 15'-20'	2.70		
5 to 6 ft	1.35	1.10	-
6 to 7 ft	1.70	1.35	
7 to 8 ft		1.75	
		gton Haw	thorn
3 to 4 ft		1.25	
4 to 5 ft			
5 to 6 ft	2.40	2.00	
6 to 8 ft	3.00	2.50	
* — crusgalli, <b>15</b> '	C	ockspur '	Thorn
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.90	.75
5 to 6 ft	1.50	1.25	1.00
6 to 7 ft		2.00	
* — mollis, 15'		wny Haw	
4 to 5 ft		.95 1.25	.75 1.00
5 to 6 ft	$\frac{1.50}{1.90}$	1.23	1.25
7 to 8 ft	2.60	2.20	1.75
8 to 9 ft		2.80	2.25
* — oxycantha, 12'-15'		ish Hawt	horne
3 to 4 ft	.80	.65	
4 to 5 ft	1.00	.80	
5 to 6 ft	1.05	.90	
6 to 7 ft		1.20	
7 to 8 ft	2.00	1.60	
8 to 9 ft	2.40	2.00	

CRATAEGUS—continued	Unit Po	rice in Qu 5-24	
* — pauli, 12'-15'	ıl Eng	lish Ha	wthorn
3 to 4 ft	_	.80	
4 to 5 ft	1.40	1.15	
5 to 6 ft	1.60	1.30	
6 to 7 ft 7 to 8 ft	2.00 2.50		
	2.50		
* — — double white, 12'-15'	0.0		
3 to 4 ft4 to 5 ft	.90 1.25		
5 to 6 ft	1.50		
* — double pink, 12'-15'  3 to 4 ft	.75		
4 to 5 ft	1.00	.80	
5 to 6 ft	1.50	1.25	
* —pedicellata, 15'-20'			
3 to 4 ft	.65	.60	
4 to 5 ft	.80	.65	
5 to 6 ft	1.00	.80	
6 to 7 ft	1.50	1.25	
* — punctata, 25'-30'		ted Ha	wthorn
3 to 4 ft 4 to 5 ft	.65 .80	.50	<del></del>
5 to 6 ft	1.10		
* — submollis, 12'-15'	Ω116	ebec Har	wthorn
* — submollis, 12'-15' 18 to 24 in	•	ebec Ha	
18 to 24 in	.55 .75	.45 .60	.35
18 to 24 in	.55 .75	.45 .60	.35 .50
18 to 24 in	.55 .75 1.00	.45 .60 .80	.35
18 to 24 in	.55 .75 1.00 <b>ACANT</b>	.45 .60 .80	.35
18 to 24 in	.55 .75 1.00 <b>ACANT</b> 1 <b>5'-20'</b>	.45 .60 .80	.35 .50 .65
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>Lob</b> 1.45	.45 .60 .80 YHA) b Crypt 1.20	.35 .50 .65
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>Lob</b> 1.45 2.40	.45 .60 .80 <b>PHA)</b> b Crypt 1.20 2.00	.35 .50 .65
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>Lob</b> 1.45 2.40 3.40	.45 .60 .80 <b>YHA)</b> b Crypt 1.20 2.00 2.80	.35 .50 .65
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>15'-20'</b> <b>Lob</b> 1.45 2.40 3.40 4.40	.45 .60 .80 EHA) b Crypt 1.20 2.00 2.80 3.60	.35 .50 .65
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>15'-20'</b> <b>Lob</b> 1.45 2.40 3.40 4.40 6.00	.45 .60 .80 EHA) b Crypt 1.20 2.00 2.80 3.60	.35 .50 .65
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>15'-20'</b> <b>Lob</b> 1.45 2.40 3.40 4.40 6.00 Flo	.45 .60 .80 <b>PHA)</b> b Crypt 1.20 2.00 2.80 3.60 4.80  wering .12	.35 .50 .65
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>15'-20'</b> <b>Lob</b> 1.45 2.40 3.40 4.40 6.00 Flo	.45 .60 .80 <b>PHA)</b> b Crypt 1.20 2.00 2.80 3.60 4.80  wering .12	.35 .50 .65
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>15'-20'</b> <b>Lob</b> 1.45 2.40 3.40 4.40 6.00 Flo	.45 .60 .80 <b>PHA)</b> b Crypt 1.20 2.00 2.80 3.60 4.80  wering .12	.35 .50 .65
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>Lob</b> 1.45 2.40 3.40 4.40 6.00 Flo .15 .20	.45 .60 .80 <b>PHA</b> )  b Crypt 1.20 2.80 3.60 4.80  wering .12 .16	.35 .50 .65 omeria ————————————————————————————————————
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>15'-20'</b> <b>Lob</b> 1.45 2.40 3.40 4.40 6.00 <b>Flo</b> .15 .20	.45 .60 .80 EHA)  b Crypt 1.20 2.80 3.60 4.80  wering .12 .16	.35 .50 .65 omeria ————————————————————————————————————
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>15'-20'</b> <b>Lob</b> 1.45 2.40 3.40 4.40 6.00 <b>Flo</b> .15 .20	.45 .60 .80 <b>PHA</b> )  b Crypt 1.20 2.80 3.60 4.80  wering .12 .16  Rose I .60 .95	.35 .50 .65 omeria ————————————————————————————————————
18 to 24 in  2 to 3 ft  3 to 4 ft  — pyracantha lalandi (See PYRA  CRYPTOMERIA japonica lobbi, 1  3 to 4 ft., B. & B  4 to 5 ft., B. & B  5 to 6 ft., B. & B  6 to 7 ft., B. & B  7 to 8 ft., B. & B  CYDONIA japonica, 4'-5'  12 to 18 in  18 to 24 in  DAPHNE cneorum, 12"-18"  9 to 1 2in., 5 in pots  12 to 15 in., 6 in. pots  15 to 18 in., 7 in. pots  — mezereum, 4'	.55 .75 1.00 <b>ACANT</b> <b>15'-20'</b> <b>Lob</b> 1.45 2.40 3.40 4.40 6.00 <b>Flo</b> .15 .20	.45 .60 .80 <b>PHA</b> )  b Crypt  1.20 2.80 3.60 4.80  wering .12 .16  Rose I .60 .95 1.25 Druary I	.35 .50 .65 omeria ————————————————————————————————————
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>15'-20'</b> <b>Lob</b> 1.45 2.40 3.40 4.40 6.00 <b>Flo</b> .15 .20	.45 .60 .80 <b>PHA</b> )  b Crypt  1.20 2.80 3.60 4.80  wering .12 .16  Rose I .60 .95 1.25 Druary I .25	.35 .50 .65 omeria ————————————————————————————————————
18 to 24 in  2 to 3 ft  3 to 4 ft  — pyracantha lalandi (See PYRA  CRYPTOMERIA japonica lobbi, 1  3 to 4 ft., B. & B  4 to 5 ft., B. & B  5 to 6 ft., B. & B  6 to 7 ft., B. & B  7 to 8 ft., B. & B  CYDONIA japonica, 4'-5'  12 to 18 in  18 to 24 in  DAPHNE eneorum, 12"-18"  9 to 1 2in., 5 in pots  12 to 15 in., 6 in. pots  15 to 18 in., 7 in. pots  — mezereum, 4'  10 to 12 in  12 to 15 in	.55 .75 1.00 <b>ACANT</b> <b>15'-20'</b> <b>Lob</b> 1.45 2.40 3.40 4.40 6.00 <b>Flo</b> .15 .20	.45 .60 .80 <b>PHA</b> )  b Crypt 1.20 2.00 2.80 3.60 4.80  wering .12 .16  Rose I .60 .95 1.25 Druary I .25 .35	.35 .50 .65 omeria ————————————————————————————————————
18 to 24 in	.55 .75 1.00 <b>ACANT</b> <b>15'-20'</b> <b>Lob</b> 1.45 2.40 3.40 4.40 6.00 <b>Flo</b> .15 .20	.45 .60 .80 <b>PHA</b> )  b Crypt 1.20 2.00 2.80 3.60 4.80  wering .12 .16  Rose I .60 .95 1.25 Druary I .25 .35	.35 .50 .65  omeria ————————————————————————————————————

EXTRA CHARGE FOR DIGGING CRATAEGUS, B. & B. SEE B. & B. SCHEDULE, PAGE 1.

	Unit Price in Quantities 1-4 5-24 25-249		
DEUTZIA gracilis, 3'	\$	Slender	Deutzia
9 to 12 in	.12	.10	.08
12 to 15 in	.15	.12	.10
15 to 18 in		.15	.12
18 to 24 in	25.	.20	
—— rosea, 3'			Deutzia
12 to 15 in		.12	.10
15 to 18 in		.20	· · ·
18 to 24 in		.25 .30	.20 .25
— lemoinei, 4'-5'			Deutzia
15 to 18 in		.12	.10
18 to 24 in		•	_
2 to 3 ft			_
3 to 4 ft		.30	.25
Mont Rose, 4'-5'		•	,_0
18 to 24 in	25	.20	
2 to 2½ ft		.25	
2½ to 3 ft	.40	.30	
— scabra candidissima, 9'-10'			Deutzia
18 to 24 in		.12	.10
2 to 3 ft		.15	
3 to 4 ft		.22	
4 to 5 ft 5 to 6 ft		.25 .37	.20 .30
scabra crenata fl. pl., 6'-8'			
18 to 24 in		.12	
2 to 3 ft			
3 to 4 ft			
4 to 5 ft			
— magnifica, 9'-10'			Deutzia
18 to 24 in			
2 to 3 ft			
3 to 4 ft 4 to 5 ft			
5 to 6 ft		.23	
Pride of Rochester, 9'-10'			
18 to 24 in		.15	
2 to 3 ft			
3 to 4 ft			
4 to 5 ft			
5 to 6 ft		.37	.30
DIERVILLA sessilifolia (lutea),			
South			eysuckle
18 to 24 in			
2 to 3 ft			
3 to 4 ft	35	.30	.25
<b></b>			
ELAEAGNUS angustifolia, 15'-			ian-olive
18 to 24 in	2 -		
2 to 3 ft		.30	
6 to 8 ft		.90	
8 to 10 ft	1.50	1.25	<del></del>

ELAEAGNUS—continued		in Quantities -24 25-249
	•	
— longipes, 6'-8'		Elaeagnus
18 to 24 in		.30 .25 .37 .30
3 to 4 ft		.50 .40
4 to 5 ft		.60 .50
— pungens reflexa, 10'-12' 12 to 18 in., 3 in. pots		Elaeagnus .25 .20
— umbellata, 8'-10'	Autumn	Elaeagnus
2 to 3 ft	.45	.37 .30
3 to 4 ft		.45 .35
4 to 5 ft		.55 .45
5 to 6 ft	.85	.70 .55
ELSHOLTZIA stauntoni, 4'-5'	25	20 1.
12 to 15 in		.20 .15 .25 .20
15 to 18 in 18 to 24 in		.30 .25
ENKIANTHUS campanulatus, 20		.50 .25
_		Enkianthus
12 to 15 in., B. & B		.75 —
15 to 18 in., B. & B		.00
18 to 24 in., B. & B.		25
EUONYMUS alatus, 9'-10'	Winged	Euonymus
18 to 24 in		.18 .15
2 to 3 ft		.22 .18
3 to 4 ft		.30 .25
4 to 5 ft 5 to 6 ft		.40 .30 .50 .40
6 to 8 ft		.60 .50
— — compacta, 4'-5'		
12 to 18 in	.30	.25 .20
18 to 24 in		.30 .25
2 to 3 ft		.45 .35
3 to 4 ft		.55 .45
— americanus, 7'-8'		Euonymus
18 to 24 in		.20
3 to 4 ft		.30 ——
4 to 5 ft		.40
— bungeanus, 12'-14' W	interberry	Euonymus
2 to 3 ft	.30	.25 .20
3 to 4 ft		.30 .25
4 to 5 ft		.37 .30
5 to 6 ft		.50 .40 .60 .50
		urningbush
2 to 3 ft		.25 .20
3 to 4 ft		.30 .25
4 to 5 ft		.40 —
5 to 6 ft		.50 —
6 to 7 ft		.65 —
* — patens (sieboldianus), 6'-8'		
12 to 15 in		.16
18 to 24 in	.25 .30	.20
10 to 27 III	.3∪	.43

EUONYMUS—continued	Unit P	rice in Qua 5-24	intities 25-249
— radicans, climbing to 15'		Winter	creeper
3 to 6 in., 1 year	.15	.12	.10
· ·		Winter	arooner
9 to 12 in., 2 year		.15	creeper
12 to 15 in., 2 year		_	
15 to 18 in., 3 year	.30	.25	
	leaved	Winter	$\operatorname{creeper}$
9 to 12 in., 2 year			.15
12 to 15 in., 3 year			.20
15 to 18 in., 3 year		.30	.25
— — minimum (kewensis), 6"-12			creeper
3 in. pots		.15	<del></del>
— variegatus,12"-15" Variega			creeper
9 to 12 in., 2 year			
		Winter	
9 to 12 in., 2 year 12 to 15 in., 3 year			.15 .20
15 to 18 in., 3 year	.35		
18 to 24 in., 4 year	.45	.37	.30
EXOCHORDA grandiflora, 6'-9'	Con	ımon Pe	arlbush
18 to 24 in		.12	.10
2 to 3 ft		.20 .25	.15 .20
4 to 5 ft		.30	.25
5 to 6 ft		.45	.35
<b>{ F</b> }			
FAGUS americana, 75'-100'		America	n Beech
2 to 3 ft., B. & B		1.25	
3 to 4 ft., B. & B		1.50 2.25	
4 to 5 ft., B. & B 5 to 6 ft., B. & B			
6 to 7 ft., B. & B			
— sylvatica, 75'-100'	ן	Europea	n Beech
18 to 24 in., B. & B		.60	.50
2 to 3 ft., B. & B		.95 1.25	
3 to 4 ft., B. & B 4 to 5 ft., B. & B.	_	1.23	
5 to 6 ft., B. & B		2.50	2.00
6 to 8 ft., B. & B			3.00
8 to 10 ft., B. & B.	. 5.25		f Darah
— asplenifolia, 20'-30'	2.00	Fermea	f Beech
2 to 3 ft., B. & B			
4 to 5 ft., B. & B	. 4.00		
5 to 6 ft., B. & B			
— — pendula, 25'-40'		Weepin	g Beech
3 to 4 ft., B. & B			
4 to 5 ft., B. & B 5 to 6 ft., B. & B			
6 to 8 ft., B. & B	. 7.50	6.25	
8 to 10 ft., B. & B	. 10.00	8.00	

FAGUS—continued	Uni 1-4	t Price in Qu 5-24	antities 25-249
— — purpurea, 60'-75'	Purple	European	$\mathbf{Beech}$
4 to 5 ft., B. & B 5 to 6 ft., B. & B			
— riversi, 40'-60'		European	Beech
2 to 3 ft., B. & B			
3 to 4 ft., B. & B 4 to 5 ft., B. & B	3.00 4.00		
FORSYTHIA intermedia, 6'-8	3′ 1	Border Fo	rsythia
18 to 24 in			.10
2 to 3 ft			.12
3 to 4 ft		· · · · · · · · · · · · · · · · · · ·	.18 .22
4 to 5 ft 5 to 6 ft			.30
— intermedia spectabilis, 6'-8		Border Fo	rsythia
18 to 24 in		•	.12
2 to 3 ft			.14
3 to 4 ft			.18 .25
4 to 5 ft 5 to 6 ft			.30
— ovata, 6'-8'	K	Korean Fo	rsythia
18 to 24 in 2 to 3 ft			
		eeping Fo	raythio
— suspensa, 4'-6'			.10
2 to 3 ft			.15
3 to 4 ft			.20
4 to 5 ft			.25
5 to 6 ft		.45	.35
— — fortunei, 7'-8'	$\mathbf{F}_{0}$	ortune For	rsythia
18 to 24 in			.10
2 to 3 ft		3 .15	
3 to 4 ft		2 .18	.16 .22
4 to 5 ft 5 to 6 ft			.30
— viridissima, 7'-8'	$\operatorname{Gre}$	enstem Fo	rsythia
18 to 24 in		.12	.10
2 to 3 ft		.15	.12
3 to 4 ft		.20	
4 to 5 ft	30	.25	.20
FRAXINUS americana, 70'-8			ite Ash
8 to 10 ft 8 to 10 ft., 1½ to 1½ in			
10 to 12 ft., 1½ to 1¾ in	1.2.		
12 to 14 ft., 13/4 to 2 in			
13 to 15 ft., 2 to 2½ in		2.50	*************
<b>ર</b> { G }	<b>(*</b> 0+==		
GENISTA scoparia (See CYT	ISUS)		
— tinctoria, 3'-5'			lwaxen
18 to 24 in			
2 to 3 ft 2 to 4 ft			
۵ (U 4 1L		.43	

	Unit 1-4	Price in Qu 5-24	
GINKGO biloba (Salisburia), 50	' <b>-75</b> '	Maidenha	air-tree
6 to 8 ft	2.25	1.75	
8 to 10 ft., 1½ to 1½ in	3.50	2.75	
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in			•
13/4 to 2 in		4.50	
2 to $2\frac{1}{4}$ in	7.50	6.00	
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	9.50	7.50	
GLEDITSIA triacanthos, 60'-70'	Comm	on Hone	ylocust
4 to 6 ft	50	.40	
6 to 8 ft		.60	
8 to 10 ft	. 1.00		
GYMNOCLADUS dioica, 40'-50'	Ken	tucky Co	ffeetree
4 to 5 ft	. 1.20	1.00	
5 to 6 ft			
6 to 7 ft		1.60	<del></del>
7 to 8 ft		2.20	
8 to 10 ft	. 3.75	3.00	
<b>ર્સ H</b> }&			
HALESIA tetraptera, 12'-15'		Great Sil	verbell
3 to 4 ft	35	.30	
4 to 5 ft		.40	
5 to 6 ft		.60	
6 to 8 ft		.75	
8 to 10 ft	. 1.25	1.00	
HAMAMELIS virginiana, 10'-12'	Comn	non Witc	h-hazel
2 to 3 ft	40	.30	
3 to 4 ft	50	.40	
4 to 5 ft			
5 to 6 ft			
6 to 8 ft			
HEDERA colchica dentata, 20'-5		ant Engl	
12 to 18 in., 3 in. pots	25		
— helix, 20'-50'		_	ish Ivy
12 to 18 in., 3 in. pots			
— baltica, 15'-25'		rdy Engl	
12 to 18 in., 3 in. pots	25		
		ure Engl	
2 year, 3 in. pots			
HIBISCUS syriacus (Althea), 1	0'-12'	Shrub	-althea
anemonaeflorus, double pink			
ardens, double rose violet	coele	stis, singl	le blue.
Boule de Feu, double bright :	red.		
Comte de Haimont, double pi	nk, wh	nite mottl	led.
Jeanne d'Arc, semi-double w	hite.		
purpureus plenus, double pur	ple.		
rubic, single red. Snowdi	rift, pu	re white	single.
W. R. Smith, single white.			
2 to 3 ft			
3 to 4 ft			
4 to 5 ft		.40	
5 to 6 ft	0.0	.50	
6 to 7 ft		.65 .80	
7 to 8 ft	1.00	.00	

HIBISCUS—continued	Unit Price	-	intities 25-249
- Variegata, 6'-8' Variegated le	eaved Ro	se-of-S	Sharon
2 to 3 ft	.35	.25	
3 to 4 ft	.45	.35	
4 to 5 ft	.60	.50	
HYDRANGEA arb. grandiflora al	ha		
(sterilis), 4'-5'	Snowhil:	l Hvdı	rangea
18 to 24 in	.25	.20	
2 to 3 ft	.30	.25	
3 to 4 ft	.40	.35	
— paniculata (type), 8'-9'	Panicle	Hydi	rangea
18 to 24 in	.15	.12	
2 to 3 ft	.20	.15	
3 to 4 ft	.30	.25	
4 to 5 ft	.40	.35	
— — grandiflora, 8'-9'	Peegee	Hydı	rangea
18 to 24 in	.22	.20	.14
2 to 3 ft	.27	.22	.18
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52	.45	.35
5 to 6 ft	.70	.55	.45
——— standards			rangea
2 to 3 ft., medium	.60 . <b>7</b> 5	.50 .60	
3 to 4 ft., fiirst class4 to 5 ft., first class	.73 .90	.00 .75	
	Oakleaf		nn mon
— quercifolia, 3'-4'  18 to 24 in	.25	.20	angea
2 to 3 ft	.35	.30	
3 to 4 ft		.40	
HYPERICUM aureum, 3'-4'	Golden St	. Johr	nswort
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft	.50	.45	.35
— densiflorum, 4'-5'			
18 to 24 in	.22	.20	.15
2 to 2 ½ ft	.30	.25	.20
2½ to 3 ft	.37	.30	.25
3 to 4 ft	.40	.35	
kalmianum, 3'-5'		.20	ricum 15.
18 to 24 in 2 to 3 ft	.22 .30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft	.50	.45	.35
— moserianum, 2'	.00		flower
9 to 12 in., 3½ in. pots	.25	.20	
12 to 15 in., 4 in. pots	.30	.25	
15 to 18 in., 5 in. pots	.50	.40	
		· *,. ·	
ILEX crenata, 8'-10'	Jap	anese	Holly
12 to 15 in., B. & B		.60	.50
15 to 18 in., B. & B		.95	.75
18 to 24 in., B. & B	1.50	1.25	1.00
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B	2.60	2.20	1.75

ILEX—continued	Unit Pr 1-4	ice in Qua 5-24	intities 25-249
— convexa (bullata), 4'-5'	Convex	leaved	Holly
9 to 12 in., B. & B		.70	
12 to 15 in., B. & B		1.00	
15 to 18 in., B. & B		1.50	
18 to 24 in., B. & B		2.00	
— microphylla, 6'-8' Littl		_	•
12 to 15 in., B. & B		.95	.75
15 to 18 in., B. & B		1.25 1.90	1.00 1.50
2 to 2½ ft., B. & B		$\frac{1.90}{2.50}$	2.00
2½ to 3 ft., B. & B		3.50	2.75
— glabra, 5'-6'	***		kberry
18 to 24 in., B. & B	2.00	1.75	
2 to 2½ ft., B. & B		2.00	
$2\frac{1}{2}$ to 3 ft., B. & B			
— opaca, 45'-50'		nerican	Holly
18 to 24 in., B. & B		.95	.75
2 to 3 ft B. & B		1.90	1.50
3 to 4 ft B. & B		2.80	2.25
4 to 5 ft., B. & B	4.50	3.75	3.00
5 to 6 ft., B. & B		4.50	
6 to 7 ft., B. & B	7.50	6.00	
— verticillata (prinos), 6'-8'		Winte	rberry
2 to 3 ft		.25	.20
3 to 4 ft		.30	.25
4 to 5 ft	.52	.45	.35
5 to 6 ft		.55 .75	
INDIGOFERA potanini, 6'		otanin	
18 to 24 in			
ITEA virginica, 3'-4'	., 0		etspire
18 to 24 in	.30	.25	
$2 \text{ to } 2^{\frac{1}{2}} \text{ ft.}$		.30	
2½ to 3 ft		.45	
3 to 3½ ft	.75	.60	.40
•{ J }			
JASMINUM nudiflorum, 3'	W	inter Ja	asmine
12 to 18 in		.25	
18 to 24 in			
2 to 3 ft	.52	.40	.35
— stephanensis, 3'			
18 to 24 in		.25	
JUNIPERUS chinensis, 15'-20'		ninese J	uniper
2 to 2½ ft B. & B		.75	
2½ to 3 ft., B. & B		1.00	
3 to 4 ft., B. & B4 to 5 ft., B. & B.		$\frac{1.50}{2.25}$	
5 to 6 ft., B. & B		2.75	
——————————————————————————————————————			
	eleaf Ch		uniper
12 to 15 in., B. & B			
15 to 18 in., B. & B	.65	.50	
18 to 24 in., B. & B	.80	.65	
2 to 2½ ft., B. & B.		.80	
2½ to 3 ft., B. & B		$\frac{1.00}{1.50}$	
3 to 4 ft., B. & B	1.90	1.30	

JUNIPERUS—continued	Unit P 1-4	rice in Qua 5-24	ntities 25-249
— — columnaris (pyramidalis), 1	15′-20′		
Blue Colum	nnar C	hinese Ju	uniper
18 to 24 in., B. & B	1.10 1.90 2.60 3.40 4.50	.60 .95 1.50 2.20 2.80 3.75	
— chinensis columnaris viridis, 15	5'-20'		
Green Colu		hinese Ju	ıniper
18 to 24 in., B. & B	1.10 1.90 2.60 3.40 4.50	.60 .95 1.50 2.20 2.80 3.75	.50 .75 1.25 1.75 2.25 3.00
— — keteleeri, 15'-18'	Kete	eleer Red	lcedar
·	.75	.60	.50
2 to 3 ft., B. & B 3 to 4 ft., B. & B	1.10 1.90 2.60	.95 1.50 2.20 2.80 3.75	.75 1.25 1.75 2.25
— meaboriensis, 7'-8' Con	ical C	hinese Ju	ıniper
2 to 2½ ft., B. & B	1.20	.80 1.00	
— pfitzeriana, 5'-6'		Pfitzer Ju	ıniper
12 to 15 in., B. & B	.60 .90 1.20 1.50 2.25 3.00 5.25 6.75	.50 .75 1.00 1.25 1.90 2.50 4.40 5.50	.40 .60 .80 1.00 1.50 2.00 3.50
— sargenti (green), $1\frac{1}{2}$		argent Ju	ıniper
9 to 12 in., B. & B	.50 .60 .90 1.50 5.00	.40 .50 .75 1.25 4.00	
— — <b>smithi</b> , <b>7'-8'</b> Sr	nith C	hinese Ju	ıniper
15 to 18 in., B. & B	1.20	.75 1.00 1.50	
— sylvestris (oblonga) 8'-10'			
18 to 24 in., B. & B	.60 .75 1.00 1.45 2.00	.50 .60 .80 1.20	

JUNIPERUS—continued	Unit 1-4	Price in Qu 5-24	
— communis, 15'-25'	Co	ommon .	Juniper
2 to 3 ft., B. & B	1.25 1.90	1.00 1.50	
4 to 5 ft., B. & B		2.25	
— communis aurea, 6'-10'		Golden .	Juniper
18 to 24 in., B. & B 2 to 2½ ft., B. & B	.75 1.00	.60 .80	
2½ to 3 ft., B. & B	1.20		
3 to 4 ft., B. & B		1.50	
4 to 5 ft., B. & B	2.70	2.25	
— — canadensis, 5'-6'	(	Canada J	Juniper
2 to 2½ ft., B. & B	1.00		
2½ to 3 ft., B. & B	1.60	1.20	
3 to 4 ft., B. & B	2.00 2.75	1.60 2.25	
4 to 5 ft., B. & B 5 to 6 ft., B. & B	4.20	3.50	
— cracovica, 20'-30'		Polish 3	Inniper
18 to 24 in., B. & B	.75	.60	
2 to 2½ ft., B. & B.		1.00	
3 to 4 ft., B. & B	1.40	1.20	
4 to 5 ft., B. & B	2.10	1.75	<del></del>
— — hibernica, 20'-30'			Juniper
15 to 18 in., B. & B	.45	.37	.30
18 to 24 in., B. & B	.70 .90	.55 .75	.45 .60
2 to 2½ ft., B. & B		.73	.75
3 to 4 ft., B. & B.			
4 to 5 ft., B. & B	2.25		
5 to 6 ft., B. & B			
6 to 7 ft., B. & B			3.00
—— suecica, 20'-30'		Swedish .	Juniper
18 to 24 in., B. & B 2 to 2½ ft., B. & B	.75 .80	.60 .75	
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B.			1.25
4 to 5 ft., B. & B			2.00
——————————————————————————————————————			Juniper
18 to 24 in., B. & B			
2½ to 3 ft., B. & B			
3 to 3½ ft B. & B			
— excelsa stricta, 10'12'	Spiny	Greek 3	Juniper
9 to 12 in., B. & B		.30	.25
12 to 15 in., B. & B	.60 .90	.50 .75	.40 .60
15 to 18 in., B. & B			0 -
2 to 2½ ft., B. & B.			1.00
2½ to 3 ft., B. & B	1.90	1.50	1.25
3 to 4 ft., B. & B			1.75
4 to 5 ft., B. & B		2.75 3.75	
horizontalis (sabina prostrata			
Problem	•	-/2 Creeping	g Savin
12 to 15 in., B. & B		-	
15 to 18 in., B. & B	.60	.50	
18 to 24 in., B. & B	1.00	.80	
2 to 2½ ft., B. & B	1.35	1.00	

JUNIPERUS—continued	Unit 1-4	Price in Qua 5-24	
— — depressa plumosa Plum	ed Sn	reading J	uniper
			.35
12 to 15 in., B. & B			
15 to 18 in., B. & B	.70		.45
18 to 24 in., B. & B			.65
2 to 2½ ft., B. & B			
$2\frac{1}{2}$ to 3 ft., B. & B			1.20
3 to 4 ft., B. & B	2.25	1.90	1.50
— — douglasi, 1'-1½'	Wa	ıukegan J	uniper
12 to 15 in., B. & B	.60	.50	.40
15 to 18 in., B. & B	.90	.75	.60
18 to 24 in., B. & B		1.00	.80
2 to 2½ ft., B. & B			
— glauca, 1'-1½'		Creeping	Savin
15 to 18 in., B. & B			
18 to 24 in., B. & B			
2 to 2½ ft., B. & B	1.50	1.25	
2½ to 3 ft., B. & B	2.10	1.75	
— — hudsonica, 1'-1½'		Hudson J	uniper
12 to 15 in., B. & B			
15 to 18 in., B. & B	.60	.50	
18 to 24 in., B. & B	.90	.70	
2 to 2½ ft., B. & B	1.25	1.00	
— japonica, 6'-8'		apanese J	_
12 to 15 in., B. & B	.75	.60	.50
15 to 18 in., B. & B	-1.10	.95	.75
18 to 24 in., B. & B		1.25	1.00
2 to 2½ ft., B. & B			1.25
2½ to 3 ft., B. & B	2.60		1.75
3 to 3½ ft., B. & B			2.50
— — aurea variegata, 5'-6' Va		ted Jap. J	uniper
18 to 24 in., B. & B	1.25		
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B			
— sabina, 6'-7'	0	Savin J	uniper
12 to 15 in., B. & B	.60	.50	.40
15 to 18 in., B. & B	.90	.75	.60
18 to 24 in., B. & B	1.20	1.00	.80
2 to 2½ ft., B. & B	1.50	1.25	1.00
2½ to 3 ft., B. & B	1.90	1.50	1.25
	2.25		1.50
3 to 3½ ft., B. & B			
4 to 5 ft., B. & B	4.50		3.00
— squamata meyeri, 3'-4'		Meyer J	uniper
9 to 12 in., B. & B	.50	.40	
12 to 15 in., B. & B	.75	.60	
2 to 2½ ft	1.90	1.50	
$2\frac{1}{2}$ to $3$ ft			
3 to 3½ ft			
— virginiana, 35'-50'		Re	dcedar
5 to 6 ft., B. & B	2.10	1.75	
6 to 7 ft., B. & B			
7 to 8 ft., B. & B		3.50	
8 to 10 ft., B. & B			
10 to 12 ft., B. & B	9.00	7.50	

JUNIPERUS—continued	Unit 1-4	Price in Q 5-24	
— — burki, 10'-12'		Burks	Juniper
2 to 2½ ft., B. & B	.90	.75	
2½ to 3 ft., B. & B	1.20	1.00	
3 to 4 ft., B. & B	1.75	1.50	
4 to 5 ft., B. & B	3.00	2.50	
5 to 6 ft., B. & B	3.75		,
6 to 7 ft., B. & B	5.00	4.00	
7 to 8 ft., B. & B	7.00	5.50	
8 to 10 ft., B. & B	9.00		
— — cannarti, 12'-15'	Ca	nnart R	edcedar
18 to 24 in., B. & B	.75	.60	
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B	1.45		
3 to 4 ft., B. & B	2.00	_	
4 to 5 ft., B. & B	3.00		
5 to 6 ft., B. & B	4.50		
— elegantissima, 12'-15'	G	oldtin R	.edce <b>da</b> r
		_	, caccaa,
18 to 24 in., B. & B	.75	_	
2 to 2½ ft., B. & B	1.00	-	<del></del>
2½ to 3 ft., B. & B	$\frac{1.45}{2.00}$		
4 to 5 ft., B. & B		2.50	
7 to 3 ft., D. & D	3.00	2.00	
— — glauca, 15'-20'	;	Silver R	edcedar
18 to 24 in., B. & B	.75	.60	
2 to 2½ ft., B. &B	1.00	.80	
2½ to 3 ft., B. & B	1.45		
3 to 4 ft., B. & B	2.00	1.60	
4 to 5 ft., B. & B	2.50		
5 to 6 ft., B. & B			
6 to 7 ft., B. & B	4.50	3.75	
— — globosa, 3'-4'	(	Globe R	edcedar
2 to 2½ ft., B. & B			
$2\frac{1}{2}$ to 3 ft., B. & B	3.00	2.50	<del></del>
— pendula, 25'-30'	We	e <b>ping</b> R	edcedar
3 to 4 ft., B. & B			
4 to 5 ft., B. & B	3.50		<u> </u>
— pyramidalis, 35'-50'	_		edcedar
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B			
3 to 4 ft., B. & B	3.00	<del></del>	
— schotti, 12'-15'			edcedar
10 20 21 1111, 21 11	.75		
2 to 2½ ft., B. & B		.80	
2½ to 3 ft., B. & B	1.45	1.20	
3 to 4 ft., B. & B	2.00	1.50 2.50	
4 to 5 ft., B. & B	300	4,50	

	Unit 1-4	Price in Qu 5-24	25-249
KALMIA angustifolia, 7'-8'		L	ambkill
18 to 24 in., B. & B 2 to 2½ ft., B. & B	1.90 2.40	1.50 2.00	
— latifolia, 8'-10'		Mountair	n-laurel
15 to 18 in., B. & B	.90	.75	
18 to 24 in., B. & B	1.25	1.00	
2 to 2½ ft., B. & B	1.75		
2½ to 3 ft., B. & B	2.40 3.00	2.00 2.50	
KERRIA japonica, 4'-5'			Kerria
18 to 24 in	.52	.45	.35
——————————————————————————————————————			Kerria
18 to 24 in	.45	.35	
KOELREUTERIA paniculata, 25		Varn	ishtree
4 to 5 ft	1.00		
5 to 6 ft	1.25 1.50		
7 to 8 ft	2.00		
KOLKWITZIA amabilis, 6'-8'		Beau	itybush
3 to 4 ft	.50	.40	
4 to 5 ft	.75	.60	
5 to 6 ft	.90	.75	
act T lea			
LABIY annonce (decidus) 70/4	eor 1	Dunanca	Touch
LARIX europaea (decidua), 50'-0			Laren
5 to 6 ft., B. & B6 to 8 ft., B. & B	2.25	1.75 2.50	
8 to 10 ft., B. & B			
10 to 12 ft., B. & B	5.00	4.00	
12 to 14 ft., B. & B			
- leptolepis (kaempferi), 50'-60'	2.25	Japanese 1.75	e Laren
5 to 6 ft., B. & B	3.00		
8 to 10 ft., B. & B	3.25		
10 to 12 ft., B. & B	5.00		
12 to 14 ft., B. & B  LESPEDEZA bicolor, 8'-10'		6.25 rub Bus	hclover
3 to 4 ft	.25		
4 to 5 ft	.30	.25	
5 to 6 ft	.40	.30	
— formosa (Desmodium pendulifl	orum	),	
8'-10'	Pu	rple Bus	hclover
2 year		.16	
3 year	.25		
5 year, extra heavy	.40	.35	.30
LEUCOTHOE catesbaei, 3'-4'	Droo	ping Lei	cothoe
12 to 15 in., B. & B			
15 to 18 in., B. & B	.75	.60	.50
18 to 24 in, B. & B	1.10 1.50	.95 1.25	.75 1.00
2 to $2\frac{1}{2}$ ft., B. & B	1.50	1.40	1.00


	Unit 1-4	Price in Qua 5-24	ntities 25-249
LIBOCEDRUS decurrens, 60'-75'		Incense	Cedar
3 to 4 ft., B. & B	4.25		
4 to 5 ft., B. & B	5.50		
5 to 6 ft., B. & B	7.00		
6 to 7 ft., B. & B	9.00		
LIGUSTRUM ibolium, 8'-10'		Ibolium	Privet
12 to 18 in	.08	.06	.05
18 to 24 in	.11	.09	.07
2 to 3 ft	.15	.12	.10
— ibota, 9'-10'		Ibota	Privet
12 to 18 in	.12	.10	.08
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	.16
— regelianum (cuttings), 5'-	R/	Regal	
12 to 15 in	.37	.30	.25
15 to 18 in	.45	.37	.30
18 to 24 in	.52	.45	.35
2 to 3 ft	.70	.55	.45
— vicary, 8'-10'	Golde	en Ibota	Privet
18 to 24 in	.25	.20	
2 to 3 ft	.30		
3 to 4 ft	.40	.35	
- lucidum (macrophyllum), 20'-	· <b>25</b> ′	Glossy	Privet
15 to 18 in., $3\frac{1}{2}$ in. pots	.45	.35	
18 to 24 in., 5 in. pots	.75		
18 to 24 in., B. & B	<b>.</b> 60		
2 to 2½ ft., B. & B	.80		
2½ to 3 ft., B. & B			
— ovalifolium, 12'-15'		alifornia	
12 to 18 in	.04	$.02\frac{1}{2}$	
18 to 24 in	.05	,	$.02\frac{1}{2}$
2 to 3 ft	.07	.05	$.03\frac{1}{2}$
3 to 4 ft	.09	.06	,
— ovalifolium aureum, 8'-9'		Golden 1	
12 to 18 in	.18	.15	.12
18 to 24 in	.22		.16
2 to 3 ft	.30	.25	.20
— vulgare, 10'-12'  2 to 3 ft	.15	luropean l .12	Privet
3 to 4 ft	.22	.18	
4 to 5 ft	.30		
5 to 6 ft	.45	.35	
*LIQUIDAMABAR styraciflua, 50	′-60′	Swee	etgum
6 to 8 ft	2.00	1.65	
	2.50	2.00	
1½ to 2 in	3.00	2.50	
2 to 2½ in			
2½ to 2½ in			
*LIRIODENDRON tulipifera, 60'			iptree
6 to 8 ft	.95	.75	
8 to 10 ft		1.00	
10 to 12 ft., 1½ to 1¾ in	1.90		
12 to 14 ft., 13/4 to 2 in	2.50		-

	Unit Pri 1-4	ce in Qua 5-24	
LONICERA belgica, 12'-15'	Du	tch Wo	odbine
3 year	25	.20	
— bella albida, 8'-9' Wh	ite Belle	Honey	suckle
2 to 3 ft	25	.20	.15
3 to 4 ft	30	.25	.20
4 to 5 ft	37	.30	.25
5 to 6 ft	45	.37	.30
6 to 7 ft	60	.50	.40
— fragrantissima, 6'-8'	Winter	Honey	suckle
18 to 24 in		.20	.15
2 to 3 ft		.25	.20
3 to 4 ft			
4 to 5 ft		.45	.35
4 to 3 it	32	.т.	.00
	Japanese		
2 year		.12	.10
3 year		.20	
4 year	30	.25	.20
— — halliana, 15'-25' Hall	Japanese	Honey	suckle
1 year, $2\frac{1}{2}$ in pots	14	.10	.08
2 year		.15	.12
3 vear		.20	.16
•			
— korolkowi floribunda Broad			suckie
18 to 24 in		.20	
2 to 3 ft		.25	
3 to 4 ft	40	.30	
4 to 5 ft	45	.40	
— — podocarpa, 8'-9'		Honey	suckle
18 to 24 in		.20	
2 to 3 ft		.25	
3 to 4 ft	35	.30	
4 to 5 ft	50	.40	
5 to 6 ft	60	.50	
— minutiflora, 7'-8' Bu	nchberry	Honey	suckle
18 to 24 in	22	.20	.14
2 to 3 ft		.20	
3 to 4 ft		.25	
4 to 5 ft		.35	
— morrowi, 7'-8'	Morrow		zguakla
·		Ī	
18 to 24 in		.20	.14
2 to 3 ft		.22	
3 to 4 ft		.27	.22
4 to 5 ft	45	.37	.30
— nitida, 3'		Honey	suckle
6 to 9 in., 3 in. pots		.20	
9 to 12 in., 4 in. pots	35	.30	
12 to 15 in., 5 in. pots		.40	
15 to 18 in., 6 in. pots	_	.50	
— pileata, 1½'-2'		Honey	suckle
6 to 9 in., 3 in. pots		.25	
9 to 12 in., 4 in. pots		.35	
→ to 12 m., + m. pots	•TJ	رد.	

LONICERA—continued	Unit Prio 1-4	-	antities 25-249
punicea Ora	ange Red	Honey	suckle
3 year		.25	
· ·			
4 year		.30	
5 year	.45	.35	
— ruprechtiana, 8'-9' Man	churian	Honey	suckle
2 to 3 ft	.22	.20	.14
3 to 4 ft		.22	.18
4 to 5 ft		.27	.22
5 to 6 ft	.37	.30	.25
— tatarica, Pink and White, 9'-10			_
'	Tatarian	Honey	suckle
18 to 24 in	.18	.15	.12
2 to 3 ft		.20	
3 to 4 ft		.22	.13
		.27	• -
4 to 5 ft			.22
5 to 6 ft	.37	.30	.25
— — pulcherrima, 9'-10'			
Bright Red		_	suckle
18 to 24 in		.20	
2 to 3 ft	.30	.25	
3 to 4 ft	.45	.35	
4 to 5 ft		.45	
1 00 0 10	.02	. 10	
——————————————————————————————————————			suckle
2 to 3 ft	.25	.20	
3 to 4 ft	.30	.25	
4 to 5 ft			
LYCIUM chinense, 10'-12' Ch			
18 to 24 in		.12	.10
2 to 3 ft	.18	.15	.12
3 to 4 ft	.22	.20	.15
MAGNOLIA glauca, 15'-20'		sw	eetbay
18 to 24 in., B. & B	.90	.75	
			<del></del>
2 to 3 ft., B. & B		1.00	
3 to 4 ft., B. & B		1.60	
4 to 5 ft B. & B		2.00	
5 to 6 ft., B. & B	3.25	2.75	
6 to 8 ft., B. & B		3.75	
— kobus, 20'-30'		ous Ma	agnolia
•			80-1
2 to 3 ft., B. & B		.75	
3 to 4 ft., B. & B	1.25	1.00	
4 to 5 ft., B. & B	2.00	1.60	
5 to 6 ft., B. & B	2.50	2.00	
6 to 8 ft., B. & B	3.50	2.75	
8 to 10 ft., B. & B			
o to 10 It., D. & D	5.00	T.UU	
— macrophylla, 25'-40'	Bigle	eaf Ma	agnolia
3 to 4 ft., B. & B	2.75		
4 to 5 ft., B. & B			
5 to 6 ft., B. & B			
6 to 8 ft B. & B	0.00		




A block of young Junipers showing large scale production of quality evergreens. The spreading types are shown at the right, excelsa stricta is at the left. See pages 27, 28, 29, 30 and 31 for sizes and prices.




NURSERY GROWN OAKS

Our Oaks are straight stemmed with good heads and well defined leaders and have been transplanted several times so that the root systems are of the best. Varieties, sizes and prices are listed on pages 49 and 50.



Thuja pyramidalis—Princeton grown means quality at low cost. Look on pages 60, 61, 62 and 63 for complete listing of Arborvitae



We specialize in shade trees and have one of the largest stocks in America

Planes are priced on page 45

MAGNOLIA—continued	Unit F 1-4	Price in Qua 5-24	intities 25-249
— soulangeana, 15'-18'	S	aucer Ma	gnolia
2 to 3 ft., B. & B	1.50 2.25		1.00 1.50
5 to 6 ft., B. & B6 to 8 ft., B. & B	4.50 6.00	3.75 5.00	3.00 4.00
— alba superba, 15'-18' La			gnona
2 to 3 ft., B. & B			
4 to 5 ft., B. & B	4.00		
— — lennei, 15'-18'	L	enne Ma	gnolia
2 to 3 ft., B. & B			
3 to 4 ft., B. & B	3.25		
		aucer Ma	gnolia
2 to 3 ft., B. & B	2.70	2.25	
3 to 4 ft., B. & B	3.90	3.25	
4 to 5 ft., B. & B	5.25	4.25	
— stellata, 8'-10'		Star Ma	gnolia
18 to 24 in., B. & B			
2 to 2½ ft., B. & B		1.50	
2½ to 3 ft., B. & B		2.20 3.00	
4 to 5 ft., B. & B		3.50	2.30
5 to 6 ft, B. & B		5.00	
— tripetala, 30'-40'	Umb	rella Ma	gnolia
4 to 5 ft	1.10	.90	
5 to 6 ft	1.70	1.35	
6 to 8 ft.,		1.75	
8 to 10 ft		2.50	
MAHONIA aquifolium, 4'-5'	_	on Holly	
12 to 15 in., B. & B	.70	.55	
15 to 18 in., B. & B 18 to 24 in., B. & B	.90 1.10	.75 .95	.60 .75
2 to 2½ ft., B. & B			_
MALUS arnoldiana, 8'-10'		Arnolo	d Crab
4 to 5 ft	.75	.60	
5 to 6 ft.,	.90	.75	
6 to 8 ft 8 to 10 ft	1.25 2.00	1.00 1.75	
— atrosanguinea, 10'-15'		Carmine	e Crab
3 to 4 ft	.70	.55	
4 to 5 ft	.90	.70	
5 to 6 ft.,	1.25	1.00	
6 to 8 ft 8 to 10 ft	2.00 3.00	1.75 2.50	
	0.00		
- baccata, 20'-25'	70	Siberian	(Cran
3 to 4 ft	.70 .90		
5 to 6 ft	1.20	1.00	
6 to 8 ft	1.75	4 60	
8 to 10 ft	3.00	2.50	

MALUScontinued	Unit	t Price in Qua 5-24	ntities 25-249
— — mandshurica			
2 to 3 ft	.55		
3 to 4 ft	.70		
4 to 5 ft	1.00		
5 to 6 ft	1.50		
— coronaria, 15'-20'	•	Wild Sweet	t Crab
6 to 8 ft. specimen	2.50		
- floribunda, 10'-15' Japa	nese	Flowering	Crab
3 to 4 ft		.55	
4 to 5 ft	.90	.70	
5 to 6 ft	1.25	1.00	
6 to 8 ft	2.10		
8 to 10 ft	3.00		
— purpurea, 10'-15'		Purple	Crab
4 to 5 ft	.90	.70	
5 to 6 ft	1.20	1.00	
6 to 8 ft	1.80	1.50	
8 to 10 ft	2.20	1.80	
10 to 12 ft	3.30	2.75	
— halliana parkmani, 10'-15'		Parkman	Crab
2 to 3 ft	.85	.65	
3 to 4 ft	1.00	.85	
4 to 5 ft	1.20	1.00	
5 to 6 ft	1.90	1.50	
6 to 8 ft	2.70	2.25	
	Red	Flowering	Crab
4 to 5 ft	.85	.65	
5 to 6 ft	.90	.75	
6 to 8 ft	1.25	1.00	
8 to 10 ft	2.00	1.50	
10 to 12 ft	3.00	2.50	
— ioensis plena, 10'-15'		Bechtel	Crab
2 to 3 ft	.60	.50	
3 to 4 ft	.95	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.70	1.35	
6 to 8 ft	2.10	1.75	
— micromalus, 15'			
	1.65		
8 to 10 ft			
10 to 12 ft	3.25		
— niedzwetzkyana, 15'-25'		Redvein	Crab
3 to 4 ft	.70	.50	
4 to 5 ft	.90	.70	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.70	1.45	
8 to 10 ft	2.70	2.25	
- Oekonomierat Echtermeyer, 10	<b>)'-15'</b>		
3 to 4 ft	.75	-	
4 to 5 ft	1.00	<del></del>	
5 to 6 ft	1.50		
6 to 8 ft	2.00		
— pumila pendula, 10'-15'		Weeping	Crab
2 to 3 ft. stem, 2 yr. head	.75	-	
3 to 4 ft. stem, 3 yr. head	1.00		
4 to 5 ft stem, 4 yr. head	1.35		

MALUS—continued	Unit I 1-4	Price in Qua 5-24	intities 25-249
— sargenti, 6'-8'		Sargen	_
2 to 3 ft	.60	.50	
3 to 4 ft	.90		
4 to 5 ft	1.25	1.00	
— scheideckeri, 10'-15'	Sc	cheidecke	r Crab
3 to 4 ft	.70	.55	
4 to 5 ft 5 to 6 ft		.70 1.00	
6 to 8 ft		1.75	
		Flowerin	g Crab
3 to 4 ft		.50	
4 to 5 ft	.90	.75	-
5 to 6 ft	1.25	1.00	
— theifera, 15'-20'		Te	a Crab
3 to 4 ft	.90		
4 to 5 ft			
MORUS alba, 35'-50'		White Mu	lberry
8 to 10 ft			
		eping Mu	llberry
2 year heads			
3 year heads		1.50	
— — tartarica, 35'-50'	Ri	ıssian Mu	lberry
6 to 8 ft	.50	.40	
8 to 10 ft	.75		
10 to 12 ft		.80	
MYRICA carolinensis, 4'-5'		thern Ba	yberry
15 to 18 in	.35	.30	
18 to 24 in	.50 .60	.40 .50	
$2\frac{1}{2}$ to 3 ft	.75	.60	
•		N	andina
<b>NANDINA domestica, 4'-6'</b> 9 to 12 in., 4 in. pots	.30		unullid 
12 to 15 in., 5 in. pots	.40		
15 to 18 in., 5 in. pots	.50		
2 to 3 ft., B. & B	1.50		
*NYSSA sylvatica, 40'-60'		So	urgum
2 to 3 ft	.75		
3 to 4 ft	1.00 1.25		
5 to 6 ft	1.50		
	**	-11	41
OSMANTHUS aquifolium, 3'-4'		olly Osm	anthus
9 to 12 in., own roots. 3 in. pots 15 to 18 in., own roots, 6 in. pots	.60 .90		
OSTRYA virginiana, 25'-30'		Hophor	nbeam
4 to 6 ft	1.00		
6 to 8 ft	1.30		
8 to 10 ft	1.65 1.90		

	Unit F	rice in Qu	antities
	1-4		25-249
*OVVDENDING 1			
*OXYDENDRUM arboreum, 25		Son	urwood
2 to 3 ft	60	.50	
3 to 4 ft	95	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.90	1.50	
6 to 7 ft	2.25	1.50	<del></del>
7 to 8 ft	3.00		
	0.00		
PACHYSANDRIA terminalis, 6"	- <b>8</b> " Ja	panese	Snurga
2 in. pot grown			
		.08	.06
PHELLODENDRON chinense,	<b>25'-30'</b>		
		inese Co	mlztnoo
6 40 8 44	2.00		nkuee
6 to 8 ft.	2.00	1.50	
8 to 10 ft.	. 2.50	2.00	
10 to 12 ft	. 3.00	2.50	
— sacchalinense, 40'-50'	Sak	halin Co	rktroo
6 to 8 ft			n W Cl GG
Q to 10 ft	2.00	1.50	
8 to 10 ft	2.50	2.00	
10 to 12 ft	. 3.00		
PHILADELPHUS Avalanche, 4'-	5' Dwa	rf Mock	Oran <del>o</del> o
18 to 24 in	22		
2 to 3 ft	22	.20	.14
2 to 3 ft	27	.22	.18
3 to 4 ft	37	.30	.24
- Bouquet blanc, 4'-5' White	Bouque	et Mocko	orange
18 to 24 in			
2 to 3 ft	18	.15	.12
3 to 4 ft	27	.22	.16
	.33	.27	.22
— coronarius, 9'-10'	Swee	et Mocko	orange
2 to 3 ft		.15	.12
3 to 4 ft	.27	.13	
4 to 5 ft	20		.16
5 to 6 ft.	.30	.25	.20
6 to 7 ft	.37	.30	.25
0 to 7 1t	.52	.45	.35
— — aureus, 4'-5'	oldenlea	f Mocko	range
12 to 15 in		.12	
15 to 18 in	.22	.20	.10
18 to 24 in	.22		.15
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	.30	.25	
2½ to 3 ft	.37	.30	.25
		.37	.30
grandiflorus, 7'-8' Big s	Scentless	s Mocko	range
2 to 3 ft		.15	.12
3 to 4 ft	.27	.22	.16
4 to 5 ft	.30	.25	-
5 to 6 ft	.37	.30	.25
6 to 7 ft	.52		-
	.34	.45	.35
— lemoine, 7'-8'	Lemoin	e Mocko	range
18 to 24 in		.20	.14
2 to 3 ft	.27	.22	.18
— pubescens, 7'-8'	Hoary	y Mocko	range
2 to 3 ft	.22	.20	15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37	.30	.25

PHILADELPHUS—continued	Unit P 1-4	-	uantities 25-249
— virginalis, 7'-8'	Virgina	al Moc	korange
18 to 24 in	.22	.18	.15
2 to 3 ft	.27	.22	.18
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52	.45	.35
PHOTINA Villosa, 10'	Cl	hristma	as Berry
4 to 5 ft	.55	.45	
5 to 6 ft	.70	.55	
6 to 7 ft	1.00	.80	
7 to 8 ft	1.20	1.00	
8 to 9 ft		1.20	
PHYSOCARPUS opulifolius, 9'-1		N	inebark
2 to 3 ft	.18	.15	.12
3 to 4 ft	.22	.20	
4 to 5 ft	.30	.25	_
5 to 6 ft	.37	.30	
6 to 7 ft	.52	.45	.35
— — aureus, 9'-10'	Gold	lleaf N	inebark
2 to 3 ft	.18	.15	.12
3 to 4 ft	.22	.20	.15
4 to 5 ft	.30	.25	.20
5 to 6 ft	.37	.30	.25
PICEA canadensis (alba), 50'-60	)'	White	Spruce
18 to 24 in., B. & B	.75	.60	.50
2 to 3 ft., B. & B			.75
3 to 4 ft., B. & B	1.90	1.50	1.25
4 to 5 ft., B. & B	2.00	1.70	
5 to 6 ft., B. & B		2.25	<del></del>
6 to 8 ft., B. & B	3.90	3.25	
— canadensis glauca conica, 4'-6			
			Spruce
9 to 12 in, B. & B		.65	
12 to 15 in., B. & B		.80	
15 to 18 in., B. & B		1.10	
18 to 24 in., B. & B	2.40	2.00	
— engelmanni, 75'-100'	Enge	elmann	Spruce
18 to 24 in., B. & B	1.10	.90	.75
2 to 3 ft., B. & B	1.90	1.50	1.25
3 to 4 ft., B. & B	2.75		
4 to 5 ft., B. & B	3.50		
5 to 6 ft., B. & B			
6 to 7 ft., B. & B		_	
— excelsa, 80'-100'			Spruce
15 to 18 in., B. & B		.37	.30
18 to 24 in., B. & B	.60	.50	.40
2 to 3 ft. B. & B	.90 1.10	.75 .95	.60 .75
3 to 4 ft B. & B 4 to 5 ft., B. & B		1.50	1.25
5 to 6 ft., B. & B		2.20	1.75
6 to 7 ft., B. & B		3.75	
8 to 10 ft., B. & B		5.00	
— pyramidalis, 35'-50' Pyram			
2 to 2½ ft., B. & B			
$2\frac{1}{2}$ to 3 ft., B. & B	3.00		
3 to 4 ft., B. & B	3.50		
4 to 5 ft., B. & B	4.50		

1-4   5-24   25-249	PICEA—continued	Unit 1-4	Price in Qu	
12 to 15 in., B. & B.	- koyamai, 40'-50'			
15 to 18 in., B. & B.	12 to 15 in., B. & B	1.00 1.30 1.60 2.00	1.25	
15 to 18 in., B. & B.	— orientalis, 75'-100'		Oriental	Spruce
18 to 24 in., B. & B.		1.50		_
Tiger-tail Spruce	18 to 24 in., B. & B	1.90 2.60 3.00 3.90	1.50 2.20 2.50 3.25	1.25 1.75
12 to 15 in., B. & B			igor-toil	Spruce
15 to 18 in., B. & B. 1.00 —————————————————————————————————			iger-tair	Spr uce
12 to 15 in., B. & B	15 to 18 in., B. & B	1.00		
15 to 18 in., B. & B.	— pungens, 60'-80'	C	olorado	Spruce
18 to 24 in., B. & B.	12 to 15 in., B. & B	.45	.37	.30
2 to 2½ ft., B. & B. 90 75 60 2½ to 3 ft., B. & B. 1.20 1.00 80 3 to 4 ft., B. & B. 1.65 1.35 1.10 4 to 5 ft B. & B. 2.25 1.90 1.50 5 to 6 ft., B. & B. 3.40 2.80 2.25 6 to 8 ft., B. & B. 5.25 4.40 3.50  — pungens glauca, 60′-80′ Blue Colorado Spruce 15 to 18 in., B. & B. 90 75 60 18 to 24 in., B. & B. 1.30 1.05 85 2 to 2½ ft., B. & B. 1.90 1.50 1.25 2½ to 3 ft., B. & B. 3.00 2.50 2.00 3 to 4 ft., B. & B. 4.10 3.50 2.75 4 to 5 ft., B. & B. 4.10 3.50 2.75 4 to 5 ft., B. & B. 5.25 4.40 3.50  5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.55 5.50 4.50 6 to 8 ft., B. & B. 5.55 5.50 4.50 6 to 8 ft., B. & B. 5.55 5.50 4.50 6 to 8 ft., B. & B. 1.35 1.10 90 15 to 18 in., B. & B. 1.35 1.10 90 15 to 18 in., B. & B. 1.35 1.10 90 15 to 18 in., B. & B. 3.40 2.80 2.25 2½ to 3 ft., B. & B. 3.40 2.80 2.25 2½ to 3 ft., B. & B. 3.40 2.80 2.25 2½ to 3 ft., B. & B. 3.50 3.75 3.00 3 to 4 ft., B. & B. 5.60 4.75 3.75 4 to 5 ft., B. & B. 13.50 11.00 — 7 to 8 ft., B. & B. 13.50 11.00 — 7 to 8 ft., B. & B. 13.50 11.00 — 7 to 8 ft., B. & B. 13.50 11.00 — 7 to 8 ft., B. & B. 17.50 15.00 — — specki, 60′-80′ 15 to 18 in., B. & B. 2.50 — 18 to 24 in., B. & B. 2.50 — 2 to 2½ ft., B. & B. 3.50 —  18 to 24 in., B. & B. 2.50 — 2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 t	15 to 18 in., B. & B	.60		
2½ to 3 ft., B. & B. 1.20 1.00 80 3 to 4 ft., B. & B. 1.65 1.35 1.10 4 to 5 ft B. & B. 2.25 1.90 1.50 5 to 6 ft., B. & B. 3.40 2.80 2.25 6 to 8 ft., B. & B. 5.25 4.40 3.50  — pungens glauca, 60′-80′ Blue Colorado Spruce 15 to 18 in., B. & B. 90 .75 .60 18 to 24 in., B. & B. 1.30 1.05 .85 2 to 2½ ft., B. & B. 1.90 1.50 1.25 2½ to 3 ft., B. & B. 3.00 2.50 2.00 3 to 4 ft., B. & B. 4.10 3.50 2.75 4 to 5 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 5.25 4.40 3.50 6 to 8 ft., B. & B. 5.25 4.40 3.50  — kosteri, 60′-80′ Koster Blue Spruce 12 to 15 in., B. & B. 1.35 1.10 .90 15 to 18 in., B. & B. 1.35 1.10 .90 15 to 18 in., B. & B. 1.80 1.50 1.20 18 to 24 in., B. & B. 2.60 2.20 1.75 2 to 2½ ft., B. & B. 3.40 2.80 2.25 2½ to 3 ft., B. & B. 3.40 2.80 2.25 2½ to 3 ft., B. & B. 3.40 2.80 2.25 2½ to 3 ft., B. & B. 3.50 3.75 3.00 3 to 4 ft., B. & B. 5.60 4.75 3.75 4 to 5 ft., B. & B. 5.60 4.75 3.75 4 to 5 ft., B. & B. 13.50 11.00 — to 8 ft., B. & B. 13.50 11.00 — to 8 ft., B. & B. 13.50 11.00 — specki, 60′-80′ 15 to 18 in., B. & B. 13.50 11.00 — specki, 60′-80′ 15 to 18 in., B. & B. 2.00 —  18 to 24 in., B. & B. 2.50 —  2 to 2½ ft., B. & B. 3.50 —  18 to 24 in., B. & B. 3.50 —  18 to 24 in., B. & B. 3.50 —  18 to 24 in., B. & B. 3.50 —  18 to 24 in., B. & B. 3.50 —  18 to 24 in., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  18 to 24 in., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  3 to 4 ft., B. & B. 3.50 —  3 to 4 ft., B. & B. 3.50 —  3 to 4 ft., B. & B. 3.50 —  3 to 4 ft., B. & B. 3.50 —  3 to 4 ft., B. & B. 3.50 —  3 to 4 ft., B. & B. 3.50 —  3 to 4 ft., B. & B. 3.50 —  3 to 4 ft., B. & B. 3.50 —  3 to 4 ft., B. & B. 3.50 —  3 to 4 ft., B. & B. 3.50 —  3 to 4 ft., B. & B. 3.50 —  3 to 4 ft., B. & B	2 to 21% ft R & R	.70		
3 to 4 ft., B. & B.	2 <sup>1</sup> / <sub>2</sub> to 3 ft B. & B	1.20		
5 to 6 ft., B. & B	3 to 4 ft., B. & B	1.65		
6 to 8 ft., B. & B.       5.25       4.40       3.50         — pungens glauca, 60'-80'       Blue Colorado Spruce         15 to 18 in., B. & B.       .90       .75       .60         18 to 24 in., B. & B.       1.30       1.05       .85         2 to 2½ ft., B. & B.       1.90       1.50       1.25         2½ to 3 ft., B. & B.       3.00       2.50       2.00         3 to 4 ft., B. & B.       4.10       3.50       2.75         4 to 5 ft., B. & B.       5.25       4.40       3.50         5 to 6 ft., B. & B.       6.75       5.50       4.50         6 to 8 ft., B. & B.       8.50       7.00       5.50				
15 to 18 in., B. & B. 90 .75 .60 18 to 24 in., B. & B. 1.30				
18 to 24 in., B. & B.	— pungens glauca, 60'-80'	Blue (	Colorado	Spruce
2 to 2½ ft., B. & B.	15 to 18 in., B. & B	.90	.75	.60
2½ to 3 ft., B. & B.       3.00       2.50       2.00         3 to 4 ft., B. & B.       4.10       3.50       2.75         4 to 5 ft., B. & B.       5.25       4.40       3.50         5 to 6 ft., B. & B.       6.75       5.50       4.50         6 to 8 ft., B. & B.       8.50       7.00       5.50				
3 to 4 ft., B. & B. 4.10 3.50 2.75 4 to 5 ft., B. & B. 5.25 4.40 3.50 5 to 6 ft., B. & B. 6.75 5.50 4.50 6 to 8 ft., B. & B. 8.50 7.00 5.50			- <u>.</u>	-
4 to 5 ft., B. & B.				
5 to 6 ft., B. & B.       6.75       5.50       4.50         6 to 8 ft., B. & B.       8.50       7.00       5.50	4 to 5 ft., B. & B	5.25		
— kosteri, 60′-80′ Koster Blue Spruce  12 to 15 in., B. & B. 1.35 1.10 .90 15 to 18 in., B. & B. 1.80 1.50 1.20 18 to 24 in., B. & B. 2.60 2.20 1.75 2 to 2½ ft., B. & B. 3.40 2.80 2.25 2½ to 3 ft., B. & B. 4.50 3.75 3.00 3 to 4 ft., B. & B. 5.60 4.75 3.75 4 to 5 ft., B. & B. 6.75 5.50 — 5 to 6 ft., B. & B. 10.00 8.00 — 6 to 7 ft., B. & B. 13.50 11.00 — 7 to 8 ft., B. & B. 17.50 15.00 —  - specki, 60′-80′  15 to 18 in., B. & B. 2.00 — 18 to 24 in., B. & B. 2.50 — 2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —  2 to 2½ ft., B. & B. 3.50 —				4.50
12 to 15 in., B. & B.	6 to 8 ft., B. & B	8.50	7.00	5.50
15 to 18 in., B. & B.	— kosteri, 60'-80'	Kos	ter Blue	Spruce
18 to 24 in., B. & B.	12 to 15 in., B. & B	1.35	1.10	.90
2 to 2½ ft., B. & B. 3.40 2.80 2.25 2½ to 3 ft., B. & B. 4.50 3.75 3.00 3 to 4 ft., B. & B. 5.60 4.75 3.75 4 to 5 ft., B. & B. 6.75 5.50 5 to 6 ft., B. & B. 10.00 8.00 6 to 7 ft., B. & B. 13.50 11.00 7 to 8 ft., B. & B. 17.50 15.00	15 to 18 in., B. & B	1.80		_
2½ to 3 ft., B. & B.       4.50       3.75       3.00         3 to 4 ft., B. & B.       5.60       4.75       3.75         4 to 5 ft., B. & B.       6.75       5.50       —         5 to 6 ft., B. & B.       10.00       8.00       —         6 to 7 ft., B. & B.       13.50       11.00       —         7 to 8 ft., B. & B.       17.50       15.00       —				
3 to 4 ft., B. & B. 5.60 4.75 3.75 4 to 5 ft., B. & B. 6.75 5.50 — 5 to 6 ft., B. & B. 10.00 8.00 — 6 to 7 ft., B. & B. 13.50 11.00 — 7 to 8 ft., B. & B. 17.50 15.00 —				
4 to 5 ft., B. & B. 6.75 5.50 — 5 to 6 ft., B. & B. 10.00 8.00 — 6 to 7 ft., B. & B. 13.50 11.00 — 7 to 8 ft., B. & B. 17.50 15.00 —				
6 to 7 ft., B. & B	4 to 5 ft., B. & B.			
7 to 8 ft., B. & B				
15 to 18 in., B. & B. 2.00 — — — — — — — — — — — — — — — — — —				
18 to 24 in., B. & B	— specki, 60'-80'			
2 to 2½ ft., B. & B				
, -,				
		0.00		

0

WE SPECIALIZE IN GROWING SHADE TREES.
TURN TO PAGE 63 FOR COMPLETE
LIST OF LINDENS

	Unit P 1-4	rice in Qua 5-24	
PIERIS floribunda, 4'	Mount	ain Andr	omeda
12 to 15 in., B. & B	1.25	1.00	
15 to 18 in., B. & B			
18 to 24 in., B. & B			
— japonica, 5'-6'	_	ese Andr	omeda
12 to 15 in., B. & B		.65	
15 to 18 in., B. & B		.80 1.20	<del></del>
2 to 2½ ft., B. & B		1.20	
PINUS banksiana, 60'-70'		Jac	k Pine
10 to 12 ft., B. & B	5.25		
12 to 14 ft., B. & B	6.50		
— densiflora, 60'-80'	Japa	anese Re	d Pine
2 to 3 ft., B. & B	1.00	.80	
3 to 4 ft., B. & B		1.20	
4 to 5 ft., B. & B		1.60	
5 to 6 ft., B. & B		2.40	
6 to 7 ft., B. & B	4.20	3.50	
— — umbraculifera (tanyosho)			
Ja	panese	Umbrell	a Pine
12 to 15 in., B. & B	.75	.60	
15 to 18 in., B. & B		.80	
18 to 24 in., B. & B		1.50	
2 to 2½ ft., B. & B		$\frac{1.50}{2.00}$	
2½ to 3 ft., B. & B		2.75	
0 to 1 tt, B. & B			
— excelsa, 30′-60′		imalayan	n Pine
— excelsa, 30'-60' 18 to 24 in., B. & B	Н		Pine
18 to 24 in., B. & B 2 to 3 ft., B. & B	.75 1.20	imalayan	
18 to 24 in., B. & B	.75 1.20 2.00	imalayan .60 1.00 1.60	
18 to 24 in., B. & B	.75 1.20 2.00 2.90	.60 1.00 1.60 2.40	
18 to 24 in., B. & B	H .75 1.20 2.00 2.90 4.00	.60 1.00 1.60 2.40 3.20	
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.	H .75 1.20 2.00 2.90 4.00	.60 1.00 1.60 2.40 3.20 4.00	
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.	H .75 1.20 2.00 2.90 4.00 4.80	.60 1.00 1.60 2.40 3.20	
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — flexilis, 30'-40'  4 to 5 ft., B. & B.	H .75 1.20 2.00 2.90 4.00 4.80	.60 1.00 1.60 2.40 3.20 4.00 Limbe	
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — flexilis, 30'-40'  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.	H .75 1.20 2.00 2.90 4.00 4.80  3.75 5.50	.60 1.00 1.60 2.40 3.20 4.00	r Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — flexilis, 30'-40'  4 to 5 ft., B. & B.	H .75 1.20 2.00 2.90 4.00 4.80  3.75 5.50 7.00	.60 1.00 1.60 2.40 3.20 4.00 Limbe	r Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  5 to 6 ft., B. & B.  6 to 5 ft., B. & B.  6 to 7 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.	.75 1.20 2.00 2.90 4.00 4.80  3.75 5.50 7.00 9.00  Swiss	.60 1.00 1.60 2.40 3.20 4.00 Limbe 	r Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  5 to 6 ft., B. & B.  7 to 8 ft., B. & B.  — montana, 10'  15 to 18 in., B. & B.	.75 1.20 2.00 2.90 4.00 4.80 3.75 5.50 7.00 9.00 Swiss .75	.60 1.00 1.60 2.40 3.20 4.00  Limbe 4.50 5.50 7.50  Mountain .60	r Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  5 to 6 ft., B. & B.  7 to 8 ft., B. & B.  18 to 24 in., B. & B.  18 to 24 in., B. & B.	.75 1.20 2.00 2.90 4.00 4.80  3.75 5.50 7.00 9.00  Swiss .75 1.10	imalayan .60 1.00 1.60 2.40 3.20 4.00  Limbe	r Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  5 to 6 ft., B. & B.  7 to 8 ft., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.	.75 1.20 2.00 2.90 4.00 4.80 3.75 5.50 7.00 9.00 Swiss .75 1.10 1.70	.60 1.00 1.60 2.40 3.20 4.00  Limbe 4.50 5.50 7.50  Mountain .60 .90 1.35	r Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  5 to 6 ft., B. & B.  7 to 8 ft., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2 to 3 ft., B. & B.  2 to 3 ft., B. & B.	3.75 5.50 4.00 4.80 3.75 5.50 7.00 9.00 Swiss .75 1.10 1.70 2.50	imalayan .60 1.00 1.60 2.40 3.20 4.00  Limbe 4.50 5.50 7.50  Mountain .60 .90 1.35 2.00	r Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  5 to 6 ft., B. & B.  7 to 8 ft., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.	3.75 5.50 2.00 2.90 4.00 4.80 3.75 5.50 7.00 9.00 Swiss .75 1.10 1.70 2.50 3.25	.60 1.00 1.60 2.40 3.20 4.00  Limbe 4.50 5.50 7.50  Mountain .60 .90 1.35	r Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  5 to 6 ft., B. & B.  7 to 8 ft., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  3½ to 4 ft., B. & B.  3½ to 4 ft., B. & B.  3 to 4 ft., B. & B.  8 B.  9 B.  18 to 24 in., B. & B.  18 to 24 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  3 to 4 ft., B. & B.	3.75 5.50 2.00 2.90 4.00 4.80 3.75 5.50 7.00 9.00 Swiss .75 1.10 1.70 2.50 3.25	.60 1.00 1.60 2.40 3.20 4.00  Limbe	r Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  18 to 24 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  3 to 4 ft., B. & B.  8 B.  9 to 24 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  3 to 3½ ft., B. & B.  4 to 4 ft., B. & B.  2 to 4 ft., B. & B.  - montana mughus, 3'-4'	H .75 1.20 2.00 2.90 4.00 4.80  3.75 5.50 7.00 9.00  Swiss .75 1.10 1.70 2.50 3.25 4.25	.60 1.00 1.60 2.40 3.20 4.00  Limbe 4.50 5.50 7.50  Mountain .60 .90 1.35 2.00 — Mughe	r Pine n Pine o Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  7 montana mughus, 3'-4'  12 to 15 in., B. & B.	H .75 1.20 2.00 2.90 4.00 4.80  3.75 5.50 7.00 9.00  Swiss .75 1.10 1.70 2.50 3.25 4.25	.60 1.00 1.60 2.40 3.20 4.00  Limbe  4.50 5.50 7.50  Mountain .60 .90 1.35 2.00 Mugho .60	r Pine n Pine n Pine n Pine n Pine 50 Pine .50
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  18 to 24 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  7 montana mughus, 3'-4'  12 to 15 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.	H .75 1.20 2.00 2.90 4.00 4.80  3.75 5.50 7.00 9.00  Swiss .75 1.10 1.70 2.50 3.25 4.25	.60 1.00 1.60 2.40 3.20 4.00  Limbe 4.50 5.50 7.50  Mountain .60 .90 1.35 2.00 — Mughe	r Pine n Pine o Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  7 montana mughus, 3'-4'  12 to 15 in., B. & B.	H .75 1.20 2.00 2.90 4.00 4.80  3.75 5.50 7.00 9.00  Swiss .75 1.10 1.70 2.50 3.25 4.25	.60 1.00 1.60 2.40 3.20 4.00  Limbe  4.50 5.50 7.50  Mountain .60 .90 1.35 2.00 Mugho .60 .95 1.25 1.50	r Pine n Pine n Pine 1.00
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft. B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  3 to 3½ ft., B. & B.  12 to 15 in., B. & B.  15 to 18 in., B. & B.  2 to 2½ ft., B. & B.  2 to 4 ft., B. & B.  15 to 18 in., B. & B.  2 to 4 ft., B. & B.  15 to 18 in., B. & B.  2 to 4 ft., B. & B.  15 to 18 in., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  16 to 24 in., B. & B.  17 to 25 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.	H .75 1.20 2.00 2.90 4.00 4.80  3.75 5.50 7.00 9.00  Swiss .75 1.10 1.70 2.50 3.25 4.25  .75 1.10 1.75 2.40	.60 1.00 1.60 2.40 3.20 4.00  Limbe  4.50 5.50 7.50  Mountain .60 .90 1.35 2.00  Mugho .69 .95 1.25 1.50 2.00	Pine
18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  3 to 3½ ft., B. & B.  3 to 15 in., B. & B.  - montana mughus, 3'-4'  12 to 15 in., B. & B.  18 to 24 in., B. & B.  2 to 15 in., B. & B.  18 to 24 in., B. & B.  2 to 4 ft., B. & B.  2 to 15 in., B. & B.  18 to 24 in., B. & B.  2 to 15 in., B. & B.  18 to 24 in., B. & B.  2 to 15 in., B. & B.  18 to 24 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.	H .75 1.20 2.00 2.90 4.00 4.80  3.75 5.50 7.00 9.00  Swiss .75 1.10 1.70 2.50 3.25 4.25  .75 1.10 1.75 2.40 3.30	.60 1.00 1.60 2.40 3.20 4.00  Limbe  4.50 5.50 7.50  Mountain .60 .90 1.35 2.00 Mugho .60 .95 1.25 1.50	r Pine n Pine n Pine 1.00

PINUS—continued	Unit 1-4	Price in Qu 5-24	
— nigra, 60'-70'			an Pine
18 to 24 in., B. & B.	75		
2 to 3 ft., B. & B.	/5	.60	.50
3 to 4 ft., B. & B.	1.10	.95	.75
4 to 5 ft., B. & B.	1.90	1.50	1.25
5 to 6 ft., B. & B.	3.00 4.10	2.50	2.00
6 to 7 ft., B. & B.	5.25	3.50 4.40	2.75
7 to 8 ft., B. & B	6.75	5.50	3.50 4.50
8 to 10 ft., B. & B	9.00	7.50	6.00
— ponderosa, 100'-150'		ern Yello	
4 to 5 ft., B. & B		ern reno	w Pine
5 to 6 ft., B. & B.	3.00		
6 to 7 ft., B. & B	3.75		
— resinosa, 60'-70'	3.73		1.70
	~~		d Pine
18 to 24 in., B. & B	.75	.60	.50
2 to 3 ft., B. & B	1.10	.95	.75
3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	2.00	1.50	1.25
5 to 6 ft., B. & B.	3.00	2.50	2.00
6 to 7 ft., B. & B.	4.10 5.25	3.50	2.75
7 to 8 ft., B. & B	5.23 6.75	4.40 5.50	3.50 4.50
— strobus, 80'-100'	0.73		
	05		e Pine
18 to 24 in., B. & B 2 to 3 ft B. & B	.95	.75	
3 to 4 ft., B. & B.	2.50	1.25 2.00	
4 to 5 ft., B. & B	3.25	2.65	
5 to 6 ft., B. & B	4.50	3.50	
6 to 7 ft., B. & B	6.00	5.00	
7 to 8 ft., B. & B	9.00	7.00	
8 to 10 ft., B. & B	10.00	8.50	
10 to 12 ft., B. & B	12.00	10.00	
— sylvestris, 25'-30'		Scotch	n Pine
18 to 24 in., B. & B.	.90	.70	
2 to 3 ft., B. & B	1.00	.80	
3 to 4 ft., B. & B	1.20	1.00	
4 to 5 ft., B. & B	2.00	1.60	
5 to 6 ft., B. & B	3.00	2.40	
6 to 7 ft., B. & B	4.25	3.60	
7 to 8 ft., B. & B	5.25	4.50	
8 to 10 ft., B. & B	7.50	6.00	
— thunbergi, 80'-100'		ese Black	Pine
18 to 24 in	.95	.75	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	1.75	
American Planetree or	Amon		
		ican Syca	more
8 to 10 ft., 1¼ to 1½ in	1.50 2.00		
— orientalis, 70'-80'		pean Plan	etree
6 to 8 ft	1.30	1.05	.85
8 to 10 ft	1.50	1.05	1.00
8 to 10 ft., 1¼ to 1½ in	1.90	1.50	1.00
10 to 12 ft., 1½ to 1¾ in		2.20	1.75
10 to 12 ft., 13/4 to 2 in	3.40	2.80	2.25
12 to 14 ft., 2 to 2¼ in	4.50	3.75	3.00
12 to 14 ft., 2½ to 2½ in	6.00	5.00	4.00
13 to 15 ft., 2½ to 3 in	7.50	6.00	5.00

	Unit Pric	e in Quan	tities 25-249
POLYGONUM auberti, 25'	Chi	ina Flee	cevine
2 year, medium	.37	.30	.25
2 year, strong		.45	.35
POPULUS bolleana, 50'-60'	$\mathbf{B}_{0}$	olleana I	Poplar
8 to 10 ft., 1½ to 1½ in	1.50		
10 to 12 ft., 1½ to 1¾ in			
10 to 12 ft., 13/4 to 2 in	2.35	2.25	
14 to 16 ft., $2\frac{1}{2}$ to 3 in		2.25	
— eugenei, 60'-80'		arolina I	Poplar
6 to 8 ft		.37	.30
8 to 10 ft		.50	.40
10 to 12 ft	.85	.70	.55
— maximowiczii, 60'-80'	_	nese Ba	rberry
6 to 8 ft		.95	.75
8 to 10 ft		1.25	
10 to 12 ft		1.50	1.25
— nigra italica, 60'-80' 4 to 6 ft		nbardy 1	
6 to 8 ft		.30 .45	.25 .35
8 to 10 ft		.60	.50
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in			
10 to 12 ft., 1½ to 1¾ in	1.50		
12 to 14 ft., 13/4 to 2 in	2.00	Simon	Poplar
6 to 8 ft	.60		
8 to 10 ft			
POTENTILLA fruticosa, 3'-4'		bby Cine	
12 to 18 in	.18	.15	.12
18 to 24 in		.20	.16
2 to 3 ft		.25	
·		mericar .15	Pium
2 to 3 ft		.15	
4 to 5 ft		.25	
5 to 6 ft	.40	.35	
— cerasifera Othello, 12'-15'			
4 to 5 ft		.40	
5 to 6 ft		.55	
6 to 8 ft		.75 • Sand	Chorry
2 to 3 ft	~	.37	
3 to 4 ft		.50	.40
— glandulosa, 5'-6' Pink & Wh			
15 to 18 in		.30	.25
18 to 24 in	.52	.45	.35
2 to 3 ft	.70	.55	.45
— maritima, 9'-10'			ı Plum
18 to 24 in		.30	.25
2 to 3 ft		.45 .55	.35 .45
	Europea		
5 to 6 ft	_	.50	
6 to 8 ft	.70	.55	
8 to 10 ft			
10 to 12 ft	1.25		

	11=:4	Deign in O	am4i4!
PRUNUS—continued	1-4	Price in Qu 5-24	
— serrulata, 40'-60'		Oriental	Cherry
8 to 10 ft	2.50	2.00	
10 to 12 ft., 2 to 2½ in	3.20	2.70	
12 to 14 ft., 2½ to 2½ in	4.00 6.00		
			~
— sachalinensis (sargenti) 40'-50			Cherry
18 to 24 in	.37 .52	.30 .45	.25 .35
— subhirtella pendula, 12'-15' W			Cherry
5 to 6 ft. stems, 1 yr. heads 5 to 6 ft. stems, 2 yr. heads	2.00	1.50	
5 to 6 ft. stems, 3 yr. heads	3.00	2.00	
4 to 6 ft. stems, 5 yr. heads,	3.00		<del></del>
2 to $2\frac{1}{2}$ in	<b>5</b> .00		
$2\frac{1}{2}$ to 3 in	7.00		
3 to $3\frac{1}{2}$ in	9.00		-
———— flore plena, 12'-15'			
Double Flower	ring V	Weeping (	Cherry
5 to 6 ft. stems, 2 yr. heads	2.75	2.25	
— tomentosa, 6'-7'		Nanking (	Cherry
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52	.45	.35
5 to 6 ft	.70	.55	.45
6 to 7 ft	.90	.75	.60
— triloba plena, 7'-8'	ouble	flowering	g Plum
2 to 3 ft		.45	.35
3 to 4 ft	.70	.55	.45
JAPANESE CHER	RIES		
Amanogawa (Lann. Amanogay	va), 2	20'-25'	
3 to 4 ft		1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
Amayadori, 25'-35'			
6 to 8 ft., 1½ to 1½ in	3.00		<del></del>
8 to 10 ft., 1½ to 1¾ in	4.00		
Ichiyo (Serr. Hisakura), 25'-30	<b>)</b> ′		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.10	.95	.75
5 to 6 it	1.50	1.25	1.00
10 to 12 ft., 1½ to 2 in	5.00 6.50	-	
J. H. Veitch (Serr. Fugenzo) I	_		
3 to 4 ft	.80 1.00	.65 .80	**************************************
5 to 6 ft		.80 1.25	
	2.80	_	
8 to 10 ft., 13/4 to 2 in	3.75	3.00	-
<b>*</b>			
<b>⊘</b> •			

EXTRA CHARGE FOR DIGGING CHERRIES B. & B. SEE B. & B. SCHEDULE, PAGE 1.

PRUNUS—continued	Unit Pa	rice in Quan 5-24	ti <b>ties</b> 25-249
Kanzan (Serr. Sekiyama) Kw	anzan,	40'	
3 to 4 ft	.80 1.00 1.25	.65 .80 1.00	
6 to 8 ft., 1¾ to 2 in 8 to 10 ft., 2 to 2¼ in 10 to 12 ft., 2¼ to 2½ in	3.75	2.25 3.00	
Naden, 30'-40'	emi-do	uble pale	nink
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50 2.25	1.25 1.90	1.00 1.50
Ojochin (Lann. Ojochin), 25'			
5 to 6 ft., 1½ to 1½ in	1.90		
6 to 8 ft., 1½ to 1¾ in	3.00		
8 to 10 ft., 13/4 to 2 in	4.00		
Paul Wohlert, 25'-30'			
6 to 8 ft., 1½ to 2 in	3.00		
8 to 10 ft., 2 to 2½ in	4.00		
Serrulata Sekizan, 25'-30'		Double	
3 to 4 ft	.90	.75	.60
4 to 5 ft 5 to 6 ft	1.10 1.50	.95 1.25	.75 1.00
6 to 8 ft	1.90	1.50	1.25
Shirofugen (Serr. Alba-Rosea)	25'-30	,	
3 to 4 ft	.90	.75	<b>.6</b> 0
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50	1.25 1.50	1.00
6 to 8 ft., 1½ to 1½ in	1.90 3.50	3.00	1.25
10 to 12 ft., 13/4 to 2 in	5.00		
Watereri (Lann. Wateriri), 30	)′		
6 to 8 ft., 1½ to 1¾ in	3.00		
8 to 10 ft., 2 to 2 <sup>1</sup> / <sub>4</sub> in	4.00 5.00		
yedoensis (Yoshino cherry), & 6 to 8 ft	3.00		
8 to 10 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	4.00		
10 to 12 ft., $2\frac{1}{2}$ to 3 in	5.00	-	
3 to $3\frac{1}{2}$ in	<b>7.</b> 50		
PSEUDOTSUGA douglasi, 70'-80		Dougl	
18 to 24 in., B. & B 2 to 2½ ft., B. & B	.60 .95	.50 .75	.40
2½ to 3 ft., B. & B	1.00	.80	.65
3 to 4 ft., B. & B	1.25	1.00	.80
4 to 5 ft., B. & B	1.60	1.35	1.10
5 to 6 ft., B. & B	2.00 4.10	1.75 3.50	1. <b>5</b> 0 2.75
6 to 8 ft., B. & B 8 to 10 ft., B. & B	7.50	6.00	5.00
Extra broad specimen-50%			
PUERARIA thunbergiana, 60'		Kudzu	-bean
1 year, strong	.13	.10	

	1-4	e in Quar 5-24	ntities 25-249
PYRACANTHA coccinea lalandi		_	
10		nda Fir	
18 to 24 in., 6 in. pots	1.50	1.25	1.00
2 to 3 ft., 7 in. pots	1.90	1.50	1.25
18 to 24 in., B. & B	1.10 1.90	.95 1.50	.75 1.25
3 to 4 ft., B. & B		2.50	2.00
4 to 5 ft., B. & B	3.75		<b>2.</b> 90
<b>ર્સ</b> Q }			
NURSERY GROWN	LOAKS		
QUERCUS alba, 100'	OZZZE		ite Oak
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft.	3.00	2.50	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.10	3.50	2.75
9 to 11 ft., 1½ to 1¾ in	5.25	4.40	3.50
10 to 12 ft., 13/4 to 2 in	6.75	5.50	
11 to 13 ft., 2 to 2½ in		7.50	6.00
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	11.00	9.00	ot Oak
6 to 8 in	2.25		let Oak
8 to 10 ft	2.25 3.40	1.90 2.80	1.50 2.25
8 to 10 ft., 11/4 to 11/2 in	4.10		2.23
10 to 12 ft., 1½ to 1¾ in	5.25	4.40	3.50
10 to 12 ft., 13/4 to 2 in	6.35	5.30	4.25
12 to 14 ft., 2 to 2½ in		7.00	5.50
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in		9.50	7.50
14 ft., 2½ to 3 in		10.00	0.1
— macrocarpa, 75'-80'		Mossycı	
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft 8 to 10 ft., 1½ to 1½ in	3.00 3.75	2.50 3.00	2.00 2.50
10 to 12 ft., 1½ to 1¾ in	4.50	3.75	3.00
10 to 12 ft., 13/4 to 2 in	6.00	5.00	4.90
12 to 14 ft., 2 to 2½ in	7.50	6.00	
12 to 14 ft., 2½ to 2½ in	9.00	7.50	
— palustris, 75'-90'			in Oak
6 to 8 ft	1.10	.95	.75
8 to 10 ft	1.50	1.25	1.00
8 to 10 ft., 1½ to 1½ in	1.90 2.25	1.50 1.90	1.25 1.50
10 to 12 ft., 13/4 to 2 in	3.40	2.80	2.25
12 to 14 ft., 2 to 2½ in	5.25	4.40	3.50
12 to 14 ft., $2\frac{1}{2}$ to 3 in	6.75	5.50	4.50
14 to 16 ft., 3 to 3½ in	9.00	7.50	
, , –	10.00	8.50	0 - 1
— phellos, 50'-60'	2.50	W 1110	w Oak
8 to 10 ft 8 to 10 ft., 1½ to 1½ in	3.25		
10 to 12 ft., 1½ to 1¾ in	4.00		
10 to 12 ft., 13/4 to 2 in	5.00		
12 to 14 ft., 2 to 2½ in	6.00	<del> </del>	
* — robur fastigiata, 35'-50' Pyr		Englis	h Oak
3 to 4 ft			
4 to 5 ft 5 to 6 ft	3.50 5.00		
6 to 8 ft	6.50		

NURSERY GROWN OAKS —continued	Unit 1-4	Price in Qu 5-24	antities 25-249
— rubra, 75'-90'	Co	ommon R	ed Oak
6 to 8 ft	1.50 2.25 3.00 3.75 4.90 6.00 8.50 10.00	1.25 1.90 2.50 3.00 4.00 5.00 7.00 8.00	1.00 1.50 2.00 2.50 3.25 4.00 5.50
— velutina, 75'-90'		Bla	ck Oak
6 to 8 ft	2.25	1.75	
8 to 10 ft 8 to 10 ft., 1½ to ½ in	3.00 3.75 4.50	2.50 3.00 3.50	
<b>&gt;</b> { <b>R</b> }\$			
RETINOSPORA (See CHAMAEC	YPAF	RIS)	
RHAMNUS caroliniana, 30'	Caro	olina Buc	kthorn
3 to 4 ft	.45	.35	
4 to 5 ft	.60	.50	
5 to 6 ft	.90	.75	
6 to 8 ft 8 to 10 ft	1.50 2.00		
— cathartica, 9'-10'		mon Buc	
2 to 3 ft	.30		.20
3 to 4 ft	.37		.25
4 to 5 ft 5 to 6 ft	.45 .60		.30 .40
— frangula, 8'-9'		ossy Buc	kthorn
2 to 3 ft	.25	.20	
3 to 4 ft	.35		
4 to 5 ft 5 to 6 ft	.50 .60	.40 .50	
		.50	
RHODODENDRON carolinanum,		Dhadad	on duan
		Rhodode	
12 to 15 in., B. & B			.75
15 to 18 in., B. & B	2.00	1.50	
2 to 2½ ft., B. & B			
		Rhodode	andron
15 to 18 in., B. & B			.75 1.00
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B	3.75	3.00	2.50
3 to 3½ ft, B. & B	5.25	4.40	3.50
— maximum, 8'-12' Ros	sebay	Rhodode	endron
Nursery Grown. Raised from			
15 to 18 in., B. & B			.65
18 to 24 in., B. & B			
2 to 2½ ft., B. & B			1.50
2½ to 3 ft., B. & B	3.00 4.50	2.50 3.75	2.00 <b>3.0</b> 0
J 10 7 II., D, & D	T.J()	3.73	3.00

RHODODENDRON—continued		Price in Qu	
muononylotys o/	1-4		25-249
		Rhodod	endron
12 to 15 in., B. & B	2.00		
18 to 24 in., B. & B	2.50		
HYBRID RHODODENDRONS, 3'-			
- Album elegans-Blush-pink.	12-15	in., 15-	18 in.,
18-24 in., $2-2\frac{1}{2}$ ft., $2\frac{1}{2}-3$	ft.		
— Catawbiense grandiflora—Ros	y-purj	ole. 12-1	l 5 in.,
15-18 in., $18-24$ in., $2-2\frac{1}{2}$			
- Everestianum—Rosy-lilac. 12-	15 in.,	15-18 i	n., 18-
24 in., 2-2½ ft.			
President Lincoln—Pink. 12-1	5 in.,	15-18 i	n., 18-
24 in., 2-2½ ft., ½-3 ft.			
- Roseum elegans—Rich pink.	12-15	in., 15-	18 in.,
18-24 in., 2-2½ ft., 2½-3 f		4.00	
12 to 15 in., B. & B	1.25	1.00 1.35	
18 to 24 in., B. & B.	2.50	2.00	
2 to 2½ ft., B. & B	3.50	2.75	
2½ to 3 ft., B. & B		3.75	
- Amphion—Rose-pink. 12-15 in.	, 15-1	8 in., 18-	-24 in.
— Candidissima—White. 12-15 in.	, 15-1	8 in., 18-	-24 in.
— Caractacus—Red. 12-15 in., 1	5-18	in., 18-2	4 in.,
$2-2\frac{1}{2}$ ft.			
— Dr. Dresselhuis—Bright red. 1	2-15	in., 15-1	8 in.,
18-24 in.			
- Ignatius Sargent—Deep pink.	12 - 15	in., 15-1	l8 in.,
18-24 in., $2-2\frac{1}{2}$ ft.			
- Mrs. C. S. Sargent—Rich crims	on. 12	2-15 in.,	15-18
in., 18-24 in., 2-2½ ft.			
— Roseum superbum—Deep pink.	12-15	in., 15-1	18 in.,
18-24 in., 2-2½ ft.	4 W A		
4 7 4 0 4 - 0 -	1.50 2.25		
10 01 - 0 -	3.25		
	4.50		
— Boule de Neige—White.			
	2.25	1.75	
	3.00	2.50	
RHODOTYPOS kerrioides, 4'-5'	25	White E	
18 to 24 in	.25 .30	.20 .25	.15 .20
3 to 4 ft	.40	.30	.20
RHUS canadensis (aromatica), 4'-5	r Fr	agrant S	umac
18 to 24 in	.37	.30	.25
2 to 3 ft	.52	.45	.35
3 to 4 ft	.70 .85	.55 .70	.45 .55
— copallina, 12'-13'		.70 hining S	
15 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35

	Unit	Price in Qua	antities
RHUS—continued	1-4	5-24	25-249
* — cotinus, 10'-12'	Com	mon Smo	ketree
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
4 to 5 ft		.90	
5 to 6 ft		1.20 2.25	
— glabra, 10'-12'	2., 0	Smooth	Sumac
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30		
4 to 5 ft	.45	.37	.30
5 to 6 ft	.60	.50	.40
6 to 8 ft	.75	.60	.50
— typhina, 15'-18'		Staghorn	
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.37 .52	.30 .45	.25 .35
6 to 8 ft	.70	. <del>4</del> 3 .55	.45
— typhina laciniata, 14'-15'		Shredded	
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	
3 to 4 ft	.37		.25
4 to 5 ft	.52	.45	.35
ROBINIA hispida, 5'-6'		Rose	-acacia
18 to 24 in	.22	.20	.15
2 to 3 ft		.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
— pseudoacacia, 60'-80'			Locust
4 to 6 ft	.37	.30	
6 to 8 ft 8 to 10 ft	.75 1.00	.60 .90	
ROSA blanda, 4'-5'	1.00	Meado	w Rose
12 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft		.37	.30
— hugonis, 5'-6' Go	olden	Rose of	China
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
— lucida, 5'-6'		Virgini	a Rose
12 to 15 in	.22	.20	.15
15 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
— multiflora, 9'-10'		Japanes	
18 to 24 in	.15	.12	.10
2 to 3 ft	.18	.15	.12
3 to 4 ft	.22	.20 .25	.15
— nitida, 3'-4'			y Rose
12 to 18 in	.30	.25	.20
— palustris (carolina), 6'-8'		Swam	p Rose
12 to 18 in	.25	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.30	.25


ROSA—continued		Price in Qua	
	1-4	5-24	25-249
— rubiginosa, 5'-6'		Swee	tbrier
12 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.37 .45	.30 .37	.25
— rubrifolia (ferruginea), 5'-6'	.43	Redleaf	-
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.20
rugosa, 4'-5'		ed Rugosa	-
12 to 18 in	.22	.20	.14
18 to 24 in	.27	.22	.18
2 to 3 ft	.37	.30	.25
— setigera, 5'-6'		Prairie	Rose
18 to 24 in	.25	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
— spinosissima, 4'		Scotch	Rose
12 to 15 in	.30	.25	.20
15 to 18 in	.45	.30	.25
— wichuraiana, white, 10'-12'	7	Wichurian	Rose
1 year	.25	.20	.15
2 year	.30	.25	.20
WICHURAIANA HY	YBRII	OS ,	
- Albertine, coppery yellow.			
- American Beauty, carmine.			
- Christine Wright, rose-pink.			
— Dr. Van Fleet, pale-pink.			
	.27	.22	.18
2 to 3 ft	.37		.25
3 to 4 ft		.37	.30
RUBUS odoratus, 6'	Flowe	ring Rasp	berry
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
		٥.	
SALISBURIA adiantifolia (See Gi		•	
SALIX babylonica ,50'-60 Babyl			illow
4 to 6 ft	.90	.75	.60
6 to 8 ft 8 to 10 ft	1.10	.95	.75
—— salamoni, 40'-50' Salam	OH W	eeping w	
6 to 8 ft	1.10	.95	.75
10 to 12 ft	1.90	1.50	
— blanda, 40'-50' Wiscon			
4 to 6 ft	.90	.75	
6 to 8 ft	1.10	.95	.75
— caprea (bush form), 15'-20'			
Goat or Eur	opean	Pussy Wi	illow
2 to 3 ft	.25		.15
3 to 4 ft	.30	.25	.20
5 to 6 ft	.52	.45	.35
0 to 6 It	.75	.60	.50

SALIX—continued	Unit 1-4	Price in Qu	uantities 25-249
			_
— incana (rosmarinifolia), 8'-10'		osemary	
2 to 3 ft		.25 .30	
4 to 5 ft	.45		
5 to 6 ft		.50	
0 10 0 11	.00	.50	.40
— pentandra, 20'-30'			Willow
= 4 to 6 ft	.75	.60 .75	.50
8 to 10 ft	1.10	.95	.75
— vitellina aurea, 30'-40' Ru			
4 to 6 ft			
6 to 8 ft			
8 to 10 ft	1.10	.95	.75
— britzensis, 30'-40' B	ronze	e Golden	Willow
4 to 5 ft	.75	.60	.50
5 to 6 ft			.60
— — nova, 30'-40'			
4 to 6 ft	90	75	.60
6 to 8 ft		.95	.75
— pendula, 25'-30' Wee			
4 to 6 ft			
6 to 8 ft		.95	
8 to 10 ft	1.50	1.25	1.00
SAMBUCUS canadensis, 8'-9'		America	
18 to 24 in	.18		
2 to 3 ft	.22	.20	_
3 to 4 ft	.30	.25	.20 .25
4 to 5 1t	.37	.30	.45
,		America	
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30		
4 to 5 ft	.37	.30	.25
— aurea, 8'-9'			n Elder
18 to 24 in	.27		
2 to 3 ft	.33		
3 to 4 ft	.45	.37	.30
SCIADOPITYS verticillata, 50'-75'		$\mathbf{Umbre}$	lla Pine
12 to 15 in., B. & B			
15 to 18 in., B. & B	2.50		-
18 to 24 in., B. & B	3.50		
SOPHORA japonica, 30'-40'	Chir	nese Sch	olartree
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft			
5 to 6 ft		1.90	1.50
6 to 7 ft		2.50	
7 to 8 ft	3.75	3.00	

	Unit Pric		antities 25-249
SORBARIA aitchisoni, 4'-5'	Kashmir	False	-spirea
2 to 3 ft	.30		.20
3 to 4 ft	.37	.30	
4 to 5 ft	.45	.37	.30
— sorbifolia, 4'-5'			-spirea
18 to 24 in	.22		-
SORBUS aucuparia, 25'-30' En		.25	
10 to 12 ft. 13/4 to 2 in	3.50	10 unta - 3 00	ım-asn
SPIRAEA albiflora (callosa alba)			
15 to 18 in	18		.12
18 to 24 in	.22	20	.15
2 to 2½ ft	.30	.25	.20
— billiardi, 5'-6'	Bi	lliard	Spirea
2 to 3 ft	.18	.15	.12
4 to 5 ft.	.25 .27	.20 .22	.16 .18
5 to 6 ft	.30	.25	.20
— bumalda, 3'		alda	Spirea
15 to 18 in	.18	.15	.12
18 to 24 in	.25	.20	
2 to 2½ ft			.20
Anthony Waterer, 3' Ant	nony wa		
12 to 15 in	.12 .16	.09 .12	.08
18 to 24 in	.18	.15	.10 .12
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	.27	.22	.18
— latifolia (salicifolia), 4'-5'		adow s	Spirea
18 to 24 in		.10	.08
2 to 3 ft	.18	.15	.12
3 to 4 ft	.25 .30	.20 .25	.16
— margaritae, 5'-6'		arita S	Spirea
18 to 24 in	.22	.20	
2 to 3 ft	.30		
— nipponica rotundifolia, 6'-7'	Big Ni		
3 to 4 ft	.45 .52	.35 45	
- opulifolia (See PHYSOCARPUS	s opulifol	ia)	
— prunifolia plena 7'-8'	В	ridalw	reath
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37		.25
4 to 5 ft	.45 .52	.37 .45	.30
- reevesiana, 7'-8'		.43 eves S	.35 Inirea
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft	.45 Double Re	.37 .eves S	.30
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
— sorbifolia (See SORBARIA sor	bifolia)		

SPIREA—continued	Unit Price	-	antities 25-249
— thunbergi, 4'-5'	Thun	berg	Spirea
18 to 24 in	.22	.20	.15
2 to 3 ft		.25	
		.30	
3 to 4 ft	.37	.50	.43
— tomentosa, 3'-4'		Ha	rdhack
18 to 24 in	.18		.12
		.20	
2 to 3 ft	.22		
3 to 4 ft	.30	.25	.20
— trichocarpa, 5'-6'	Ko	rean	Spirea
18 to 24 in		.20	
2 to 3 ft		.25	
— vanhouttei, 8'-9'	Vanho	outte	Spirea
18 to 24 in	.10	.08	.07
2 to 3 ft	.12	.10	.09
3 to 4 ft	.18	.15	.12
4 to 5 ft	.27	.22	.18
5 to 6 ft	.37	.30	.25
STAPHYLEA colchica, 10'-12'	Colchis		dernut
18 to 24 in			
2 to 3 ft	.60	.50	
STEPHANANDRA flexuosa, 5'-6'	Cutleaf St	epha	nandra
18 to 24 in	.18	.15	.12
2 to 3 ft			.15
3 to 4 ft			.18
4 to 5 ft		.30	.24
— tanakae, 6'	Yeddo St	epha	nandra
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	.30
3 to 4 ft	.52	.45	.35
STYRAX japonica, 12'-15'	Japane	se Sn	owbell
2 to 3 ft	_	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90		
6 to 8 ft			
8 to 10 ft		2.50	
		2.30	
SYMPHORICARPOS chenaulti, 6	<b>'-8'</b>		
	Chenault	Sno	wberry
18 to 24 in	.18	.15	.12
2 to 3 ft		.20	.15
3 to 4 ft	.30	.25	
	.00		
— racemosus, 5'-6'			wberry
18 to 24 in	.18		.12
2 to 3 ft	.22		.15
3 to 4 ft	.30	.25	.20
— vulgaris, 4'-5'		Cora	alberry
18 to 24 in	.18		.12
2 to 3 ft	.22	.20	
3 to 4 ft	.30		.20
SYMPLOCUS paniculata, 20'-25'	Asiat	ic Sw	eetleaf
18 to 24 in	.52	.45	.35
2 to 3 ft	.70	.55	.45

	Unit Pr	ice in Qu	antities
	1-4	5-24	25-249
SYRINGA chinensis (rothomag	ensis), <mark>8</mark>	<b>'-9'</b>	
2 to 3 ft	37	.30	
3 to 4 ft	50	.4()	
4 to 5 ft	60	.50	
chinensis saugeana, 8'-9'	Purple	Chinese	e Lilac
2 to 3 ft	30	.25	.20
3 to 4 ft	37	.30	.25
4 to 5 ft	45	.37	.30
5 to 6 ft	60	.50	.4()
— japonica, 18'-20'	Japane	ese Tree	
2 to 3 ft	37	.30	.25
3 to 4 ft	45	.37	.30
4 to 5 ft	60	.50	.40
5 to 6 ft	75	.60	.50
6 to 8 ft	. 1.10	.95	.75
8 to 10 ft	. 1.50	1.25	1.00
— josikaea, 9'-10'	Hu	ngariai	n Lilac
3 to 4 ft	45	.37	.30
4 to 5 ft	60	.50	.4()
5 to 6 ft		.60	.50
— villosa, 7'-8'		Late	e Lilac
2 to 3 ft	22	.20	.15
3 to 4 ft		.25	.20
4 to 5 ft		.37	.30
5 to 6 ft	60	.50	.4()
— vulgaris, 12'-15'	Common	Purple	Lilac
18 to 24 in	15	.12	.10
2 to 3 ft	18	.15	.12
3 to 4 ft	25	.20	.15
4 to 5 ft		.25	.20
5 to 6 ft	45	.35	.25
6 to 7 ft	52	.45	.35
— — alba, 12'-15'	Common	white	Lilac
2 to 3 ft		.25	.20
3 to 4 ft	35	.30	.25
4 to 5 ft	.45	.37	.30
5 to 6 ft	.60	.50	.40



Unit Price in Quantities 1-4 5-24 25-249

# FRENCH LILACS—NAMED VARIETIES ALL ON OWN ROOTS

- Alphonse Lavalle, light purple, double.
- Charles Joly, red-mauve, semi-double.
- Charles The Tenth, reddish-purple, single.
- Ludwig Spaeth, reddish-purple, single.
- Marie LeGraye, white, single.
- Michel Buchner, lilac, double.
- Mme. Casimir Perier, white, double.
- Pres. Grevy, blue, double.
- Rubra de Marly, light blue, single.
- Wm. Robinson, violet-pink, double.

18 to 24 in	.35	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.80	.65	.55
5 to 6 ft	1.00	.90	.70

- Adelaide Dunbar, red-mauve, double.
- Belle de Nancy, light violet-red, double.
- Boussingault, light purple, double.
- Colbert, double, medium mauve.
- Congo, single, dark violet red.
- Captain Perrault, rosy-mauve, double.
- Florent Stepman, white, single.
- Hugo Koster, pale lilac, single.
- Katherine Havemeyer, double, light mauve.
- Lamartine, light violet, single.
- Le Printemps, pale lobelia, double.
- Louvain, light purple, single.
- Leon Simon, medium violet-red, double.
- Leon Gambetta, light mauve, double.
- Mme. Casimir Perier, double, white.
- Mme. F. Morel, light mauve, single.
- Marechal Lannes, light violet, double.
- Mons. John de Messmaker, light violet-red, single.
- Negro, single, deep violet-red.
- President Poincare, violet, double.
- Reaumur, reddish-purple, single.
- Vestale, white, single.
- Waldeck Rosseau, double, light red-mauve.

18 to 24 in	.50	.40	
2 to 3 ft	.70	.55	-
3 to 4 ft	.90	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	

	Unit	Price in Qu	antities
	1-4		
TAMARIX africana, 12'-14'	$\mathbf{A}$	frican T	amarix
18 to 24 in	18	.15	.12
2 to 3 ft	22	.20	.15
3 to 4 ft	.30	.25	.20
— gallica, 8'-9'		rench Ta	amarix
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
— pentandra, 12'-15'	Fivest	amen Ta	amarix
18 to 24 in	.22	.20	.15
3 to 4 ft	.22 .37	.20 .30	.15
TAXODIUM distichum, 75'-100' 3 to 4 ft. B. & B	Commo		
4 to 5 ft. B. & B.	2.25 3.00	1.90 2.50	1.50 2.00
5 to 6 ft. B. & B	4.50	3 75	3.00
6 to 8 ft. B. & B.	6.00	5.00	4.00
TAXUS baccata, 15 -20'		Englis	h Yew
15 to 18 in., B. & B	.90	.75	.60
18 to 24 in., B. & B	1.10	.95	.75
2 to 2½ tt., B. & B	1.90	1.50	1.25
2½ to 3 ft B. & B		2.20	1.75
—— compacta (adpressa erecta)			J. 37 -
Upright S 18 to 24 in., B. & B.			
2 to 2½ ft., B. & B.	2.25	1.25 1.90	$\frac{1.00}{1.50}$
2½ to 3 tt., B. & B	3.00	2.50	2.00
3 to 4 ft., B. & B	4.50	3.75	3.00
4 to 5 ft., B. & B	5.25	4.50	
— erecta aurea, 12'-15'			
Golden Upright		leaf Eng	. Yew
12 to 15 in., B. & B	1.65		
15 to 18 in., B. & B	2.25 3.25		,
2 to 2½ ft., B. & B	4.50		
•		English	Vow
15, 10: 5 0 5		1.25	
18 to 24 in., B. & B.	1.90	1.50	$\frac{1.00}{1.25}$
2 to 2½ ft., B. & B	2.60	2.20	1.75
$2\frac{1}{2}$ to 3 ft., B. & B	3.75	3.00	2.50
		English	Yew
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B.	3.00	2.50	2.00
2 to 2½ ft., B. & B	4.00 5.25	3.50 4.40	2.75 3.50
— canadensis, 2'-21/2'	0.20	Canada	
15 to 18 in., B. & B.	1.00	Сапаца	IGM
18 to 24 in., B. & B.	1.50		
200	1.00		<del></del>

TAXUS—continued	Unit P 1-4	rice in Quant 5-24 2	tities 5-249
- cuspidata, 10'-15' Spr	eading	Japanese	Yew
15 to 18 in., B. & B	1.50 2.25 3.00 3.90 5.25 7.50 10.00	1.25 1.90 2.50 3.25 4.50 6.00 8.00 12.50	1.00 1.50 2.00
——————————————————————————————————————	pright	Japanese	Yew
15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.	1.50 2.25 3.75 5.00	.95 1.25 1.90 3.00 4.00 6.00	.75 1.00 1.50 2.50
— hicksi, 20'-25'		Hicks'	Yew
15 to 18 in., B. & B	2.00 2.60 3.75	1.10 1.70 2.20 3.00 3.50	.90 1.35 1.75 2.50
- cuspidata nana (brevifolia),	2'-3'		
• • • • • • • • • • • • • • • • • • • •		Japanese	Yew
9 to 12 in., B. & B	1.30 1.90 2.60 3.40 4.90 6.25	1.05 1.50 2.20 2.80 4.05 5.25 6.50	.85 1.25 1.75 2.25 3.25
— thayeri, 6'-8'		Thayers	Yew
15 to 18 in. B. & B	3.00	1.50 2.50 3.00	1.25 2.00
— intermedia, 12'-15'		Hybrid	Yew
9 to 12 in. B. & B	1.50 1.90 2.25 2.70	.95 1.25 1.50 1.90 2.25 3.50	.75 1.00 1.25 1.50
THUJA occidentalis, 15'-30'	Ameri	can Arbor	vitae
2 to 3 ft., B. & B	.75 1.00 1.50 2.25 3.40	.60 .80 1.25	.50 .65 1.00 1.50 2.25 3.25 5.00

THUJA—continued	Unit P 1-4	rice in Qua 5-24	entities 25-249
— — compacta, 2½'-4'	Parse	ons Arbo	orvitae
12 to 15 in., B. & B.		.50	
15 to 18 in., B. & B	75	.60	.40 .50
18 to 24 in., B. & B	.90	.75	.60
2 to $2\frac{1}{2}$ ft., B. & B	1.10		.75
$2\frac{1}{2}$ to 3 ft., B. & B	1.50	1.25	1.00
3 to 3½ ft., B. & B	1.90		
— — douglasi aurea, 10'-15'			
		len Arbo	rvitae
3 to 4 ft., B. & B	1.35	1.10	
4 to 5 ft., B. & B	1.65		
5 to 6 ft., B. & B	2.40	2.00	
6 to 8 ft., B. & B	3.75	3.00	
— elegantissima, 10'-15' Go			
2 to 3 ft., B. & B	.75	.60	.50
3 to 4 ft., B. & B	1.10	.95	.75
4 to 5 ft., B. & B 5 to 6 ft., B. & B	2.50	1.25 1.90	1.00
6 to 7 ft., B. & B	2.23 3.40	2.80	
7 to 8 ft., B. & B	5.25	4.40	3.50
— ellwangeriana, 4'-6' Ton			
15 to 18 in., B. & B.			1 11000
18 to 24 in., B. & B	90	.00 75	
2 to 2½ ft., B. & B	1.20	1.00	
— — globosa, 3'-4'		be Arbo	rvitae
12 to 15 in., B. & B	.70	.55	.45
15 to 18 in., B. & B	.85	.70	.55
18 to 24 in., B. & B	1.05	.90	.70
2 to 2½ ft., B. & B	1.35	$\frac{1.10}{1.50}$	.90
— hoveyi, 3'-4'			1.25
• .		vey Arbo	
12 to 15 in., B. & B		.50	.40
15 to 18 in., B. & B	.75	.60	.50
18 to 24 in., B. & B	.90	.75 .95	.60
2½ to 3 ft., B. & B	1.10	.93 1.25	.75 1.00
3 to 3½ ft., B. & B	1.90		
• • • • • • • • •		dy Arboi	
2 to 2 ½ ft., B. & B	.95	.75	.65
2½ to 3 ft., B. & B	1.20	1.00	.80
3 to 4 ft., B. & B		1.30	1.00
4 to 5 ft., B. & B	2.50		
5 to 6 ft., B. & B	3.40	2.80	2.25
6 to 7 ft., B. & B	4.50	3.75	3.00
— — plicata, 10'-12'	Mo	ss Arboi	rvitae
2 to 3 ft., B. & B	.90	.75	.60
3 to 4 ft., B. & B	1.10	.95	.75
4 to 5 ft., B. & B	1.90	1.50	
5 to 6 ft., B. & B	2.60		1.75
6 to 7 ft., B. & B	3.75	3.00	
7 to 8 ft., B. & B	5.20	4.50	3.50
8 to 10 ft., B. & B	<b>7.5</b> 0	6.00	5.00

THUJA—continued	Unit P 1-4	rice in Quai 5-24	
— — pyramidalis, 15'-30'	Pyrami	dal Arbo	rvitae
18 to 24 in	1.05 1.65 2.00 2.60	1.70 2.20	1.35 1.75
7 to 8 ft., B. & B	4.10 5.60 9.00	3.50 4.75	2.75 3.75 6.00
18 to 24 in., B. & B		.60	.50
2 to 2½ ft., B. & B	1.10 1.50 1.90 2.60	.95 1.25 1.50 2.20	.75 1.00 1.25 1.75
— — umbraculifera, 2'-3'	Umbre	ella Arbo	rvitae
18 to 24 in., B. & B	1.50	1.25	1.00
— — vervaeneana, 8'-12'	Vervae	ene Arbo	rvitae
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B	1.00	.80 1.10	.65 .90
4 to 5 ft., B. & B	1.90	1.50	
5 to 6 ft., B. & B			
e es s 11., B. & E	2.20	1.70	1.00
——— aurea, 8'-12' Golden	Verva	ene Arbo	
— — aurea, 8'-12' Golden  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.	Verva .90 1.10	ene <b>Arbo</b> .70 .90	orvitae
	.90 1.10 1.50	ene Arbo .70 .90 1.15	orvitae 
	.90 1.10 1.50 1.80	.70 .90 1.15 1.50	orvitae
——————————————————————————————————————	.90 1.10 1.50 1.80 2.40 Siber	.70 .90 1.15 1.50 2.00	orvitae orvitae
	.90 1.10 1.50 1.80 2.40 Siber .75	.70 .90 1.15 1.50 2.00 rian Arbo	orvitae orvitae .50
——————————————————————————————————————	.90 1.10 1.50 1.80 2.40 Siber .75 1.00	.70 .90 1.15 1.50 2.00 rian Arbo	orvitae orvitae .50
	.90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90	ene Arbo .70 .90 1.15 1.50 2.00 rian Arbo .60 .80 1.00 1.50	orvitae 
——————————————————————————————————————	.90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90	ene Arbo .70 .90 1.15 1.50 2.00 rian Arbo .60 .80 1.00 1.50	orvitae 
	.90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00	ene Arbo .70 .90 1.15 1.50 2.00 rian Arbo .60 .80 1.00 1.50 2.50	orvitae 
	Verva .90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00 RBORV Orien	ene Arbo .70 .90 1.15 1.50 2.00 rian Arbo .60 .80 1.00 1.50 2.50  ITAE	orvitae .50 .65 .80 1.25 2.00
——————————————————————————————————————	Verva .90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00 RBORV Orien .90	ene Arbo .70 .90 1.15 1.50 2.00 rian Arbo .60 .80 1.50 2.50  ITAE .tal Arbo .75	orvitae .50 .65 .80 1.25 2.00
——————————————————————————————————————	Verva .90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00 RBORV Orien .90 1.35	ene Arbo .70 .90 1.15 1.50 2.00 rian Arbo .60 .80 1.00 1.50 2.50  ITAE .tal Arbo .75 1.10	orvitae .50 .65 .80 1.25 2.00
——————————————————————————————————————	Verva .90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00 RBORV Orien .90 1.35 1.90 2.40	ene Arbo .70 .90 1.15 1.50 2.00  rian Arbo .60 .80 1.50 2.50  ITAE .tal Arbo .75 1.10 1.50 2.00	orvitae .50 .65 .80 1.25 2.00  orvitae .60 .90 1.25 1.60
——————————————————————————————————————	Verva .90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00 RBORV Orien .90 1.35 1.90 2.40	ene Arbo .70 .90 1.15 1.50 2.00  rian Arbo .60 .80 1.50 2.50  ITAE .tal Arbo .75 1.10 1.50 2.00	orvitae .50 .65 .80 1.25 2.00  orvitae .60 .90 1.25 1.60
——————————————————————————————————————	Verva .90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00 RBORV Orien .90 1.35 1.90 2.40 3.75	ene Arbo .70 .90 1.15 1.50 2.00  rian Arbo .60 .80 1.50 2.50  ITAE .tal Arbo .75 1.10 1.50 2.00	orvitae .50 .65 .80 1.25 2.00  orvitae .60 .90 1.25 1.60
——————————————————————————————————————	Verva .90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00 RBORV Orien .90 1.35 1.90 2.40 3.75 7'-8' Goldsr	ene Arbo .70 .90 1.15 1.50 2.00  rian Arbo .60 .80 1.00 1.50 2.50  ITAE .tal Arbo .75 1.10 1.50 2.00 3.00	orvitae .50 .65 .80 1.25 2.00  orvitae .60 .90 1.25 1.60 2.50
——————————————————————————————————————	Verva .90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00 RBORV Orien .90 1.35 1.90 2.40 3.75 7'-8' Goldsr .75	ene Arbo .70 .90 1.15 1.50 2.00  rian Arbo .60 .80 1.00 1.50 2.50  ITAE tal Arbo .75 1.10 1.50 2.00 3.00  oire Arbo .60	orvitae .50 .65 .80 1.25 2.00  orvitae .60 .90 1.25 1.60 2.50  orvitae
——————————————————————————————————————	Verva .90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00 RBORV Orien .90 1.35 1.90 2.40 3.75 7'-8' Goldsr .75 1.00	ene Arbo .70 .90 1.15 1.50 2.00  rian Arbo .60 .80 1.00 1.50 2.50  ITAE atal Arbo .75 1.10 1.50 2.00 3.00  oire Arbo .60 .75	orvitae .50 .65 .80 1.25 2.00  orvitae .60 .90 1.25 1.60 2.50
——————————————————————————————————————	Verva .90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00 RBORV Orien .90 1.35 1.90 2.40 3.75 7'-8' Goldsr .75 1.00 1.50 2.00 1.20	ene Arbo .70 .90 1.15 1.50 2.00  rian Arbo .60 .80 1.50 2.50  ITAE .tal Arbo .75 1.10 1.50 2.00 3.00  oire Arbo .60 .75 -2.50	orvitae .50 .65 .80 1.25 2.00  orvitae .60 .90 1.25 1.60 2.50  orvitae
——————————————————————————————————————	Verva .90 1.10 1.50 1.80 2.40 Siber .75 1.00 1.20 1.90 3.00 RBORV Orien .90 1.35 1.90 2.40 3.75 7'-8' Goldsr .75 1.00 1.50 2.40	ene Arbo .70 .90 1.15 1.50 2.00  rian Arbo .60 .80 1.00 1.50 2.50  ITAE .tal Arbo .75 1.10 1.50 2.00 3.00  oire Arbo .60 .75 .60 .75	orvitae .50 .65 .80 1.25 2.00  orvitae .60 .90 1.25 1.60 2.50  orvitae

THUJA—continued	Unit P	rice in Qua 5-24	
BIOTA or CHINESE A			LJ-L17
——— nana (Biota), 2½'-3'			
Berckma	ns Gold	den Arbo	orvitae
9 to 12 in., B. & B	60	.50	.40
12 to 15 in., B. & B	90 . 1.25	.70	.50
18 to 24 in. B. & B	1.25	1.00 1.35	.75
2 to $2\frac{1}{2}$ ft., B. & B	2.75	2.25	
2½ to 3 ft., B. & B	3.75		
3 to 3½ ft., B. & B	4.75	4.00	
——————————————————————————————————————		old Arbo	rvitae
18 to 24 in., B. & B.	90	-	
2 to 2½ ft., B. & B	1.65 2.00		<del></del>
3 to 4 ft., B. & B.	2.50		
4 to 5 ft., B. & B	3.75	3.00	
- orientalis elegantissima (Biota	a) 7′-8	,	
	•	mn Arbo	rvitae
2 to 2½ ft., B. & B		.75	
$2\frac{1}{2}$ to 3 ft., B. & B	1.50	1.25	
3 to 4 ft., B. & B	2.00	1.50	
4 to 5 ft., B. & B	2.40	2.00	
5 to 6 ft., B. & B 6 to 7 ft., B. & B	3.25 4.25	2.50 3.50	
— plicata atrovirens (lobbi), 100			rvitae
2 to 3 ft. B. & B 3 to 4 ft. B. & B		1.00 1.50	
4 to 5 ft. B. & B	2.50	2.00	
5 to 6 ft. B. & B	3.25	2.75	
6 to 7 ft., B. & B	4.50	3.75	
7 to 8 ft., B. & B	6.00	5.00	
— standishi, 25'-40'	Standi	sh Arbo	rvitae
2 to 2½ ft., B. & B			
2½ to 3 ft., B. & B	1.50		
4 to 5 ft., B. & B	2.50	1.50 2.00	
5 to 6 ft., B. & B			
TILIA—THE LIN	<b>COLUM</b> O		
TILIA americana, 75'-90'		erican 1	
6 to 8 ft	1.20	1.00	.75
8 to 10 ft., 1½ to 1½ in	1.80 2.25	$\frac{1.50}{2.00}$	1.25 1.75
10 to 12 ft., 13/4 to 3 in	3.00	2.50	2.00
12 to 14 ft., 2 to $2\frac{1}{4}$ in	3.75		2.50
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	4.25		
14 to 16 ft., 2½ to 3 in		4.00 5.00	
		ropean L	
6 to 8 ft 8 to 10 ft., 1½ to ½ in	1.50	1.25	1.00 1.65
8 to 10 ft., 1½ to 1½ in.	3.40	2.05 2.80	2.25
8 to 10 ft., 1½ to 1½ in	4.10	3.50	2.75
10 to 12 ft., 2 to 2½ in	4.90	4.05	3.25
10 to 12 ft., 2½ to 2½ in	6.35	5.30	4.25

TILIA—continued	Unit	Price in Qu 5-24	uantities 25-249
— neglecta, 60'-75'		Grav	Linden
	0.75	•	
8 to 10 ft., 1½ to 1¾ in	2.75		
9 to 10 ft., 13/4 to 2 in	3.25	2.75	
10 to 11 ft., 2 to $2\frac{1}{4}$ in	3.75	3.25	
10 to 12 ft., 2½ to 2½ in	4.50	3.75	
12 to 14 ft., $2\frac{7}{2}$ to 3 in	5.00	3.50	
12 to 14 ft. 3 to 3½ in	6.00		
— petiolaris, 40'-60'	v	Veeping	Linden
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
8 to 10 ft. $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.75		
10 to 11 ft. 1½ to 1¾ in	4.25		
10 to 12 ft., 13/4 to 2 in	5.25		$\Delta = 1/2.1$
10 to 12 ft., 194 to 2 in	6.00		
— platyphyllos, 70' Bigle			Linden
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.90	1.50	1.25
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	1.90	1.50
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.50	2.00
8 to 10 ft., 13/4 to 2 in	3.75	3.00	2.50
10 to 12 ft 2 to 2½ in	4.50	3.75	3.00
10 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	5.25		3.50
12 to 14 ft., $2\frac{1}{2}$ to 3 in	6.00		<del></del>
— tomentosa (argentea), 40'-60'			Linden
6 to 8 ft	2.25	1.90	1.50
	3.75		
8 to 10 ft., 1½ to 1½ in			
9 to 10 ft., 1½ to 1¾ in	4.50		3.00
10 to 11 ft., 134 to 2 in	5.25	4.40	3.50
10 to 12 ft., 2 to 2 <sup>1</sup> / <sub>4</sub> in	6.35		4.25
10 to 12 ft., 2½ to 2½ in	8.00	6.50	
12 to 14 ft., $2\frac{1}{2}$ to 3 in	9.00	7.50	
— vulgaris, 70'-90'		ropean	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.70	1.35
8 to 10 ft. $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.00	1.65
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.50	2.00
10 to 12 ft., 13/4 to 2 in	3.50	2.90	2.35
11 to 13 ft., 2 to 2½ in	4.25		2.85
11 to 13 ft., 2½ to 2½ in	5.25		3.50
13 to 14 ft., $2\frac{1}{2}$ to 3 in			
TSUGA canadensis, 75'-90'		anada H	lemlock
18 to 24 in., B. & B	1.10	.95	.75
2 to 3 ft., B. & B	1.50	1.25	1.00
3 to 4 ft., B. & B		1.70	1.35
4 to 5 ft D & D	3.40		2.25
4 to 5 ft., B. & B			
5 to 6 ft., B. & B			3.50
6 to 7 ft., B. & B			4.50
7 to 8 ft., B. & B			
8 to 9 ft., B. & B			
— — pendula, 8'-10'  15 to 18 in., B. & B		eeping H 2.00	lemlock
18 to 24 in., B. & B			
2 to 2½ ft., B. & B		4.00	
$2\frac{1}{2}$ to 3 ft., B. & B	7.50		

TSUGA—continued	Unit 1-4	Price in Quan 5-24	
caroliniana, 50'-60'	Ca	rolina Her	nlock
18 to 24 in., B. & B.		.95	
2 to 2½ ft., B. & B	1.50	1.25	.75 1.00
2½ to 3 ft., B. & B	2.25		1.50
3 to 4 ft. B. & B	3.40		
4 to 5 ft., B. & B.	4.90		2.25
5 to 6 ft., B. & B	6.75	5.50	3.25 4.50
	0.73	3.30	4.30
ULMUS americana, 80'-100'		Amorican	Elm
	(0	American	
6 to 8 ft	.60	.50	.40
8 to 10 ft	.75	.60	.50
8 to 10 ft., 1½ to ½ in	.90	.75	.60
9 to 11 ft., 1½ to 1¾ in	1.00	.90	.70
10 to 12 ft., 13/4 to 2 in	1.50	1.25	1.00
11 to 12 ft., 2 to 2½ in	2.25	1.90	1.50
12 to 14 ft., 2½ to 2½ in		2.50	2.00
12 to 14 ft., 2½ to 3 in	3.75	3.00	2.50
14 to 16 ft., 3 to 3½ in	5.25	4.40	3.50
14 to 16 ft., 3½ to 4 in	7.50	6.00	
16 to 18 ft., 4 to 4½ in	14.00	9.00	
18 to 20 ft., 4½ to 5 in	14.00	12.00 Moline	——
	77		
6 to 8 ft 8 to 10 ft	.75	.60	.50
		.90	.70
8 to 10 ft., 1½ to 1½ in	1.35	1.10	.90
10 to 12 ft., 1½ to 1¾ in		1.50	1.25
10 to 12 ft., 13/4 to 2 in	2.60	2.20	1.75
11 to 12 ft., 2 to 2½ in	3.40	2.80	2.25
13 to 14 ft., 2½ to 3 in	5.00	4.00	
	6.00	5.00	
—— "Princeton," 80′-100′ 6 to 8 ft	1.00	Princeton .80	Elm .65
8 to 10 ft	1.35	1.10	.90
8 to 10 ft 1½ to 1½ in	1.90	1.50	1.25
10 to 12 ft., 1½ to 1½ in	2.50	2.00	1.65
12 to 14 ft., 13/4 to 2 in	3.00	2.50	2.00
12 to 14 ft., 2 to 2½ in	3.75	3.00	2.50
— Vase shape, 60'-75' Vase Sh			Elm
10 to 12 ft., 1½ to 1¾ in	1.90	1.65	
10 to 12 ft., 13/4 to 2 in	2.40	2.00	
11 to 12 ft., 2 to 2½ in	3.00	2.50	
12 to 14 ft., 2½ to 2½ in	4.90	4.00	
12 to 14 ft., 2½ to 3 in	6.00 8.00	5.00 6.50	
— pumila, 50′-75′	0.00	Chinese	Elm
5 to 6 ft	.75	.60	TILL
6 to 8 ft	.75	.00 .75	
8 to 10 ft	1.25	1.00	
8 to 10 ft., 1½ to 1½ in	1.50	1.00	
10 to 12 ft., 1½ to 1¾ in	2.00	1.50	
10 to 12 ft., 1½ to 1¼ m	3.00		
11 to 13 ft., 2 to 2½ in	4.00		
×			

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

#### Unit Price in Quantities 1-4 5-24 25-249

### 

VIBURNUM americanum	· )。 (oxycocco	s),	8'-9'	
				errybush
2 to 3 ft		.30	.25	.20
3 to 4 ft		.37	.30	
4 to 5 ft		.45	.37	.30
5 to 6 ft		.50	.45	.35
6 to 7 ft		.70	.55	.45
— carlesi, 6'-8'	]	Fra	grant Vi	burnum
12 to 15 in., potted		.60	.50	.40
15 to 18 in., potted		.75	.60	
18 to 24 in., potted		.10	.95	.75
— cassinoides, 5'-6'				ithe-rod
18 to 24 in		.37	.30	.25
2 to 3 ft		.45	.37	
3 to 4 ft		.60	.50	
4 to 5 ft 5 to 6 ft		.75 .90	.60 .75	.50 .60
	• • • • • • • • • • • •	.90		
— dentatum, 10'-12'		•		rowhead
18 to 24 in		.30	.25	.20
2 to 3 ft		.37	.30	
3 to 4 ft		.45	.37 .45	
5 to 6 ft		.70	.43 .55	
6 to 7 ft		.75	.60	
— dilatatum, 8'-9'	•••••			iburnum
18 to 24 in		.37	.30	
2 to 3 ft		.52	.30 .45	
3 to 4 ft		70	.55	
4 to 5 ft		.85	.70	
5 to 6 ft		1.10	.95	
— lantana, 15'-18'			Wayfar	ring-tree
18 to 24 in		.27	.22	
2 to 3 ft		.30	.25	
3 to 4 ft		.37	.30	
4 to 5 ft		.52	.45	
5 to 6 ft	• • • • • • • • • • • • •	.70	.55	
— lentago, 18'-20'		=0		nyberry
3 to 4 ft 4 to 5 ft		.52	.45	
5 to 6 ft		.75	.50 .60	
6 to 7 ft		.90	.75	
7 to 8 ft		1.10	.95	
8 to 9 ft		1.35	1.10	
— molle, 10'-12'	K	ent	ucky V	iburnum
3 to 4 ft		.37	.30	
4 to 5 ft		.52	.45	
5 to 6 ft		.70	.55	
6 to 7 ft		.85	.70	
— opulus, 9'-10'	Europ			errybush
18 to 24 in		.22	.20	
2 to 3 ft		.30	.25	
3 to 4 ft 4 to 5 ft		.37	.30	
5 to 6 ft		.70	.45 .55	
0 00 0 14	••••••	••	.00	UF.

VIBURNUM—continued	Unit I 1-4	Price in Qua 5-24	
— opulus nanum, 18"-24"	Dwarf	Cranberr	vbush
4 to 6 in	22	.20	.15
6 to 9 in	30	.25	
9 to 12 in	45		.20
7 to 12 m	+3	.37	.30
——— sterile, 9'-10'	Com	mon Sno	whall
18 to 24 in			
2 to 3 ft	22	.20	.16
3 to 4 ft	30	.25	.20
4 to 5 ft	37 45	.30	.25
	43	.37	.30
— prunifolium, 10'-12'		Blac	khaw
18 to 24 in	52	.45	.35
2 to 3 ft	75	.60	.50
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	1.00
- rhytidophyllum, 6'-8'	oothon	loof Wit	
18 to 24 in. B. & B	zcatner)		
2 to 2½ ft., B. & B.	./5	.60	.50
2½ to 3 ft., B. & B	1.10		.75
2/2 to 5 ft., B. & B	1.50	1.25	1.00
- sieboldi (japonicum), 9'-10'		old Vibu	rnum
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35
4 to 5 ft	.70	.55	.45
5 to 6 ft	.90	.75	<del></del>
— tomentosum, 7'-8'	Double	efile Vibu	rnum
18 to 24 in	.27	.22	
2 to 3 ft	.30	25	.20
3 to 4 ft	.35	.30	25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.70		.45
— — plicatum, 7'-8'	Tana	nogo Sno	whall
	Japa	nese Sno	
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	
3 to 4 ft			.25
5 to 6 ft	.52		.35
	.70	.55	.45
— wrighti, 7'-8'		ght Vibu	
2 to 3 ft	.52	.45	.35
3 to 4 ft	<b>.7</b> 0	.55	.45
4 to 5 ft	.90	.75	.60
5 to 6 ft	1.10	.95	.75
VINCA minor, 6"-8"	eriwinl	kle or M	yrtle
3 in pots			
VITEX agnus-castus, 4'-5'		ac Chaste	
18 to 24 in	.22	.20	.15
2 to 3 ft			
- macrophylla, 3'-4' Large leav			
12 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.35	.30	.25

	Unit	Price in C	uantities
	1-4		25-249
• <b>ર્સ W</b> }}			
WEIGELA amabalis, 7'-8'		Rose	Weigela
18 to 24 in	18	.15	.12
2 to 3 ft		.20	
3 to 4 ft		.25	
4 to 5 ft 5 to 6 ft		.30	
— candida, 7'-8'	30		—— Weigela
18 to 24 in	18	.15	.12
2 to 3 ft		.20	
3 to 4 ft		.22	
4 to 5 ft		.27	.22
5 to 6 ft		.30	_
6 to 7 ft	.45	.37	.30
— Eva Rathke, 4'-5'			Weigela
12 to 18 in		.15	.12
18 to 24 in 2 to 3 ft		.22 .27	.18 .24
— floribunda, 8'		,_,	۰۲. Weigela
2 to 3 ft		.20	· · cigcia
3 to 4 ft			
4 to 5 ft		.35	
5 to 6 ft	.50	.45	
— feerie, 6'-8'		Rose	Weigela
2 to 3 ft			.15
3 to 4 ft			.20
— nana variegata, 6'-8' Var			
18 to 24 in		.15	.12
2 to 3 ft			
3 to 4 ft			.20
4 to 5 ft			
5 to 6 ft	.50	.45	.35
— rosea, 7'-8'			Weigela
18 to 24 in	.18	.15	.12
2 to 3 ft	.22 .27		.15
3 to 4 ft	.27	.30	
5 to 6 ft		.37	
WISTERIA multijuga, 35'-50'	Longel	luster V	Visteria
18 to 2 4in., grafts	.40	.35	
2 to 3 ft., grafts	.50	.45	
5 to 6 ft., grafts	1.25	1.00	
6 to 8 ft., grafts			
alba, 35'-50' Wh			Visteria -
18 to 24 in., grafts			
2 to 3 ft., grafts			
4 to 5 ft., grafts	1.25	1.00	
		ping W	visteria.
. 3 to 4 ft., grafts			
4 to 5 ft., grafts	2.00		

	Unit P	rice in Qu	antities
WISTERIA—continued	1-4	5-24	25-249
- sinensis blue, 35'-50' (grafted)	Ch	inese W	isteria,
2 to 3 ft., 3 yr. grafts	.45	.37	.30
3 to 4 ft., 3 yr. grafts	.60	.50	.40
4 to 5 ft., 4 yr. grafts	.90	.75	.60
5 to 6 ft., 5 yr. grafts	1.10	.95	.75
6 to 8 ft., 5 yr. grafts	1.50		
—— alba, 35'-50' Whit	e Wee	ping W	'iste <b>ria</b>
2 to 3 ft., 2 yr. grafts	.45	.37	.30
3 to 4 ft., 3 yr. grafts	.60	.50	.40
4 to 5 ft., 2 yr. grafts	.90	.75	.60
5 to 6 ft., 5 yr. grafts	1.10	.95	
6 to 8 ft., 5 yr. grafts	1.50	1.25	1.00

### --- Y }---


YUCCA filamentosa, 2'-3'		Adams	Needle
2 year	.22	.20	.15
3 year	.30	.25	.20
4 year	.35	.30	.25



#### EUONYMUS ALATUS

A beautiful shrub worthy of more attention. Makes a fine specimen and may also be used for screen and hedge planting. These plants are listed on page 22.





## How to Reach Princeton by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.

The office of Princeton Nurseries is located on Lake Road in the township of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction, on the main line of the Pennsylvania Railroad. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.

PHONE
PRINCETON
1766

